









- [2] Xie, R., Yu, F.R., Ji, H. (2012). Energy-efficient spectrum sharing and power allocation in cognitive radio femtocell networks. 2012 IEEE Conference on Computer Communications, INFOCOM, 1665-1673. <http://dx.doi.org/10.1109/INFCOM.2012.6195537>
- [3] Karaca, M., Khalil, K., Ekici, E., Ercetin, O. (2013). Optimal scheduling and power allocation in cooperate-to-join cognitive radio networks. *IEEE/ACM Transactions on Networking*, 21(6): 1708-1721. <http://dx.doi.org/10.1109/TNET.2012.2230187>
- [4] Son, K., Jung, B.C., Chong, S., Sung, D.K. (2013). Power allocation policies with full and partial inter-system channel state information for cognitive radio networks. *Wireless Networks*, 19(1): 99-113. <https://doi.org/10.1007/s11276-012-0453-0>
- [5] Tang, L., Chen, Q., Wang, G., Zeng, X.P., Wang, H. (2013). Opportunistic power allocation strategies and fair subcarrier allocation in OFDM-based cognitive radio networks. *Telecommunication Systems*, 52(4): 2071-2082. <https://doi.org/10.1007/s11235-011-9486-4>
- [6] Yao, H., Huang, T., Zhao, C., Kang, X.Y., Liu, Z.Y. (2014). Optimal power allocation in cognitive radio based machine-to-machine network. *EURASIP Journal on Wireless Communications and Networking*, (1): 1-9. <https://doi.org/10.1186/1687-1499-2014-82>
- [7] Liu, X., Zhong, W.Z., Kong, F.Q., Jing, Q.F. (2014). Spectrum sensing sub-users and power allocation in multi-channel cognitive radio. *Journal of South China University of Technology (Natural Science Edition)*, 42(1): 52-57.
- [8] Luo, R.H., Yang, Z. (2012). Cognitive network power allocation based on optimal relay selection. *Journal of Instruments*, 33(9): 1931-1937. <https://doi.org/10.1049/cp.2012.2408>
- [9] Lu, L.X., Jiang, W., Xiang, H.G., Luo, W., Shang, Y. (2012). Bidirectional relay scheme for cognitive radio with low signal-to-noise ratio and its optimal power and slot allocation. *Journal of Electronics*, 40(1): 35-39.
- [10] Li, L., Khan, F., Pesavento, M., Ratnarajah, T., Prakriya, S. (2014). Sequential search based power allocation and beamforming design in overlay cognitive radio networks. *Signal Processing*, 97(4): 221-231. <https://doi.org/10.1016/j.sigpro.2013.10.024>
- [11] Majidi, M., Mohammadi, A., Abdipour, A. (2014). Analysis of the power amplifier nonlinearity on the power allocation in cognitive radio networks. *IEEE Transactions on Communications*, 62(2): 467-477. <https://doi.org/10.1109/TCOMM.2014.011114.130094>
- [12] Song, M., Kim, Y., Park, E., Im, G.H. (2014). Rate adaptation and power allocation for cognitive radio networks with HARQ-based primary system. *IEEE Transactions on Communications*, 62(4): 1178-1187. <https://doi.org/10.1109/TCOMM.2014.021714.130140>
- [13] Kim, K.J., Duong, T.Q., Poor, H.V. (2013). Performance analysis of cyclic prefixed single-carrier cognitive amplify-and-forward relay systems. *IEEE Transactions on Wireless Communications*, 12(1): 195-205. <https://doi.org/10.1109/TWC.2012.120312.112128>
- [14] Stotas, S., Nallanathan, A. (2011). Optimal sensing time and power allocation in multiband cognitive radio networks. *IEEE Transactions on Communications*, 59(1): 226-235. <https://doi.org/10.1109/TCOMM.2010.110310.090473>
- [15] Pei, Y., Liang, Y.C., Teh, K.C., Li, K.H. (2011). Energy-efficient design of sequential channel sensing in cognitive radio networks: Optimal sensing strategy, power allocation, and sensing order. *IEEE Journal on Selected Areas in Communications*, 29(8): 1648-1659. <https://doi.org/10.1109/JSAC.2011.110914>
- [16] Wang, J., Zhang, Z., Wu, Q., Huang, Y.Z. (2013). Outage analysis of cognitive relay networks with interference constraints in nakagami-m channels. *IEEE Wireless Communications Letters*, 2(4): 387-390. <http://dx.doi.org/10.1109/WCL.2013.050613.130208>
- [17] Zou, J., Xiong, H., Wang, D., Chen, C.W. (2013). Optimal power allocation for hybrid overlay/underlay spectrum sharing in multiband cognitive radio networks. *IEEE Transactions on Vehicular Technology*, 62(4): 1827-1837. <https://doi.org/10.1109/TVT.2012.2235152>