

- unit, *Proceedings of the CSEE*, Vol. 28, No. 23, pp. 37-40.
- [6] Yi Q.J., Tian M.C., Fang D. (2015). CFD simulation of air-steam condensation on an isothermal vertical plate, *International Journal of Heat and Technology*, Vol. 33, No. 1, pp. 25-32. DOI: [10.18280/ijht.330104](https://doi.org/10.18280/ijht.330104)
- [7] Yan S.L., Hu S.G., Xu H., Li Y.H. (2008). Research on the Unified Physical Model and Mathematic Model of Heat-economic Analysis for the Coal-fired Power Unit, *Proceedings of the CSEE*, Vol. 20, No. 8, pp. 69-73.
- [8] Yan S.L., Xu H. (2007). The self-adapted steam-water distribution equation of thermodynamic system for the coal-fired power unit, *Proceedings of the CSEE*, Vol. 27, No. 8, pp. 54-58.
- [9] Salvini C., Giovannelli A., Varano M. (2016). Economic analysis of small size gas turbine based CHP plants in the present Italian context, *International Journal of Heat and Technology*, Vol. 34, Special Issue 2, pp. S443-S450. DOI: [10.18280/ijht.34S236](https://doi.org/10.18280/ijht.34S236)
- [10] Yan S.L., Li Y.H., Yang K., Zhang C.F. (2001). The general solution by recursion formula of thermal calculation for the regenerative system, *Proceedings of the CSEE*, Vol. 21, No. 3, pp. 93-95.
- [11] Reini M. (2016). Constructal law & thermoeconomics, *International Journal of Heat and Technology*, Vol. 34, Special Issue 1, pp. S141-S146. DOI: [10.18280/ijht.34S118](https://doi.org/10.18280/ijht.34S118)
- [12] Li Y.H., Yan S.L., Wang S.L. (2001). Common differential relationship equation for coal consumption and auxiliary steam-water flux, *Proceedings of the CSEE*, Vol. 21, No. 11, pp. 79-83.
- [13] Ciampi G., Rosato A., Sibilio S. (2016). Dynamic simulation of a micro-trigeneration system serving an Italian multi-family house: energy, environmental and economic analyses, *International Journal of Heat and Technology*, Vol. 34, Special Issue 2, pp. S295-S302. DOI: [10.18280/ijht.34S215](https://doi.org/10.18280/ijht.34S215)
- [14] Yan S.L., Hu S.G., Xu H., Li Y.H. (2008). Monitored section pressure and temperature quantitative calculation of steam turbine off-design condition, *Turbine Technology*, Vol. 29, No. 6, pp. 458-460.
- [15] Liu Q., Guo M.C., Liu P.F., (2007). Study on the influence of extraction steam pressure loss on thermal economy of unit, *Proceedings of the CSEE*, Vol. 27, No. 8, pp. 59-63.
- [16] Wang N.N., Zhang Z.G. (1987). *High Power Turbine Turbine Thermal Design*, Water Conservancy and Electric Power Press, Beijing, pp. 239-247.