As a perspective of this work, we plan to carry out additional experimental studies for photovoltaic modules based on polycrystalline and amorphous silicon; and to develop the model with resolution methods to determine different specific parameters of the current-voltage characteristic.

REFERENCES

- [1] Zerga, A. (1998). Optimisation du rendement d'une cellule solaire à base de silicium monocristallin de type n+p, Thèse de Magister, Université de Tlemcen.
- [2] Enebish, N., Agachbayar, D., Dorjkhand, S., Baatar, D., Ulemj, I. (1993). Numerical analysis of solar cells current-voltage characteristic. Solar Energy Materials and Solar Cells, 29: 201-208. https://doi.org/10.1016/0927-0248(93)90035-2
- [3] Lakeh, H.K., Kaatuzian, H., Hosseini, R. (2019). A parametrical study on photo-electro-thermal performance of an integrated thermoelectric-photovoltaic cell. Renewable Energy, 138: 542-550. https://doi.org/10.1016/j.renene.2019.01.094
- [4] Jeong, Y., Shin, D., Park, J.H., Park, J., Yi, Y., Im, S. (2019). Integrated advantages from perovskite photovoltaic cell and 2D MoTe₂ transistor towards self-power energy harvesting and photosensing. Nano Energy, 63: 103833. https://doi.org/10.1016/j.nanoen.2019.06.029
- [5] Antonacci, A., Scognamiglio, V. (2019). Photosynthesis-based hybrid nanostructures: electrochemical sensors and photovoltaic cells as case studies. TrAC Trends in Analytical Chemistry, 115: 100-109. https://doi.org/10.1016/j.trac.2019.04.001
- [6] Gruber, M., Jovanov, V., Wagner, V. (2019). Modeling of photoactive area spreading in unstructured photovoltaic cells. Solar Energy Materials and Solar Cells, 200: 110011. https://doi.org/10.1016/j.solmat.2019.110011
- [7] Katayama, N., Osawa, S., Matsumoto, S., Nakano, T., Sugiyama, M. (2019). Degradation and fault diagnosis of photovoltaic cells using impedance spectroscopy. Solar Energy Materials and Solar Cells, 194: 130-136. https://doi.org/10.1016/j.solmat.2019.01.040
- [8] Hernández-Callejo, L., Gallardo-Saavedra, S., Alonso-Gómez, V. (2019). A review of photovoltaic systems: Design, operation and maintenance. Solar Energy, 188: 426-440. https://doi.org/10.1016/j.solener.2019.06.017
- [9] Quan, L., Xie, K., Liu, Y., Zhang, H. (2019). Camera enhanced compressive light beam induced current sensing for efficient defect detection in photovoltaic cells. Solar Energy, 183: 212-217. https://doi.org/10.1016/j.solener.2019.02.055
- [10] Alcañiz, A., López, G., Martín, I., Jiménez, A., Datas, A., Calle, E., Rosa, E., Gerling, L.G., Voz, C., del Cañizo, C., Alcubilla, R. (2019). Germanium photovoltaic cells with MoOx hole-selective contacts. Solar Energy, 181: 357-360. https://doi.org/110.1016/j.solener.2019.02.009
- [11] Shittu, S., Li, G., Akhlaghi, Y.G., Ma, X., Zhao, X., Ayodele, E. (2019). Advancements in thermoelectric generators for enhanced hybrid photovoltaic system performance. 109: 24-54. https://doi.org/10.1016/j.rser.2019.04.023

- [12] Salem, M.R., Elsayed, M.M., Abd-Elaziz, A.A., Elshazly, K.M. (2019). Performance enhancement of the photovoltaic cells using Al₂O₃/PCM mixture and/or water cooling-techniques. Renewable Energy, 138: 876-890. https://doi.org/10.1016/j.renene.2019.02.032
- [13] Torabi, N., Behjat, A., Zhou, Y., Docampo, P., Stoddard, R.J. (2019). Hillhouse H.W., Ameri T., Progress and challenges in perovskite photovoltaics from single- to multi-junction cells. Materials Today Energy, 12: 70-94. https://doi.org/10.1016/j.mtener.2018.12.009
- [14] Vargas-Estevez, C., Blanquer, A., Murillo, G., Duque, M., Barrios, L., Nogués, C., Ibañez, E., Esteve, J. (2018). Electrical stimulation of cells through photovoltaic microcell arrays. Nano Energy, 51: 571-578. https://doi.org/10.1016/j.nanoen.2018.07.012
- [15] Mathews, I., Kantareddy, S.N., Buonassisi, T., Peters, I.M. (2019). Technology and market perspective for indoor photovoltaic cells. Joule, 3(6): 1415-1426. https://doi.org/10.1016/j.joule.2019.03.026
- [16] Shaygan, M., Ehyaei, M.A., Ahmadi, A., El Haj Assad, M., Silveira, J.L. (2019). Energy, exergy, advanced exergy and economic analyses of hybrid polymer electrolyte membrane (PEM) fuel cell and photovoltaic cells to produce hydrogen and electricity. Journal of Cleaner Production, 234: 1082-1093. https://doi.org/10.1016/j.jclepro.2019.06.298
- [17] Falama, R.Z., Hidayatullah, Doka, S.Y. (2019). A promising concept to push efficiency of pn-junction photovoltaic solar cell beyond Shockley and Queisser limit based on impact ionization due to high electric field. Optik, 187: 39-48. https://doi.org/10.1016/j.ijleo.2019.04.136
- [18] Ansari, Z.A., Singh, T.J., Islam, S.M., Singh, S., Mahala, P., Khan, A., Singh, K.J. (2019). Photovoltaic solar cells based on Graphene/Gallium arsenide schottky junction. Optik, 182: 500-506. https://doi.org/10.1016/j.ijleo.2019.01.078
- [19] Cotfas, D.T., Deaconu, A.M., Cotfas, P.A. (2019). Application of successive discretization algorithm for determining photovoltaic cells parameters. Energy Conversion and Management, 196: 545-556. https://doi.org/10.1016/j.enconman.2019.06.037
- [20] Aguiar, A., Farinhas, J, da Silva, W., Ghica, M.E., Brett, C.M.A., Morgado, J., Sobral, A.J.F.N. (2019). Synthesis, characterization and application of meso-substituted fluorinated boron dipyrromethenes (BODIPYs) with different styryl groups in organic photovoltaic cells. Dyes and Pigments, 168: 103-110. https://doi.org/10.1016/j.dyepig.2019.04.031
- [21] Manfredi, N., Trifiletti, V., Melchiorre, F., Giannotta, G., Biagini, P., Abbotto, A. (2019). Photovoltaic characterization of di-branched organic sensitizers for DSSCs. Data in Brief, 2019. https://doi.org/10.1016/j.dib.2019.104167
- [22] Charles, J.P., Mekkaoui, I., Bordure, G. (1985). A critical study of the effectiveness of the single and double exponential models for I-V characterization of solar cell. Solid-State Electronics, 28: 807-820. https://doi.org/10.1016/0038-1101(85)90068-1
- [23] Sari-Ali, I. (2003). Contribution à l'etude de la caractéristique courant-tension des cellules solaires fonctionnant sous eclairement et a l'obscurité. Thèse de Magister, Université de Tlemcen.