













- [10] Bouchala, T., Abdelhadi, B., Benoudjit, A. (2013). Novel coupled electric field method for defect characterization in eddy current non destructive testing. *Journal of Non Destructive Testing Evaluation*, 32(3): 1-11. <https://doi.org/10.1007/s10921-013-0197-5>
- [11] Maouche, B., Feliachi, M. (2006). A half analytical formulation for the impedance variation in axisymmetrical modeling of eddy current non destructive testing. *European Physical Journal – Applied Physics*, 33(1): 59-67. <https://doi.org/10.1051/epjap:2005093>
- [12] Doirat, V. (2007). Contribution to the modeling of eddy current non-destructive testing systems. Application to the physical and dimensional characterization of aeronautical materials. Doctorate Thesis, Nantes University.
- [13] Maouche B., Feliachi M. (1997). Analysis of the effect of induced currents on the impedance of an electromagnetic system powered by LF or HF voltage. Use of coupled circuits method. *Journal of Physics III*, 7(10): 1967-1973. <https://doi.org/10.1051/jp3:1997235>
- [14] Mouhalibi, H., Bouali, F., Feliachi, M. (2010). Use of half analytical method for detection of defects in diet pulses. *Studies in Applied Electromagnetics and Mechanics*, Ebook Volume 35: Electromagnetic Nondestructive Evaluation (XIV), pp. 183-191. <https://doi.org/10.3233/978-1-60750-750-5-183>
- [15] Zerguini, S., Maouche, B., Latreche, M., Feliachi, M. (2009). A coupled fictitious electric circuit's method for impedance of a sensor with ferromagnetic core calculation. Application to eddy currents non destructive testing. *European Physical Journal Applied Physics*, 48(3). <https://doi.org/10.1051/epjap/2009190>
- [16] Bouchala, T., Abdelhadi, B., Benoudjit, A. (2015). Application of coupled electric field method for eddy current non-destructive inspection of multilayer structures. *Journal of Non-destructive Testing and Evaluation*, 30(2). <https://doi.org/10.1080/10589759.2015.1018253>
- [17] Bennoud, S., Zergoug, M. (2014). Modeling and simulation for 3D eddy current testing in conducting materials. *International Journal of Mechanical, Aerospace, Industrial, Mechatronic and Manufacturing Engineering*, 8(4): 754-757.
- [18] Bouzidi, A., Maouche, B., Feliachi, M. (2015). Pulsed eddy current NDE of groove dimensions by inversion with simplex method associated with coupled electric circuits method. *IEEE Transactions on Magnetics*, 51(3). <https://doi.org/10.1109/TMAG.2014.2363194>
- [19] Yen, J., Liao, J.C., Lee, B., Randolph, D. (1998). A hybrid approach to modelling metabolic system using a genetic algorithm and simplex method. *IEEE Transaction on System Cybernetics*, 28(2): 173-191. <https://doi.org/10.1109/3477.662758>
- [20] Hamel, A., Mohellebi, H., Feliachi, M. (2012). Imperialist competitive algorithm and particle swarm optimization comparison for eddy current non-destructive evaluation. *International Journal of Computer Science*.
- [21] Mohdeb, N., Mekideche, M.R. (2010). A fast hybrid algorithm for solving materials properties determination inverse problem. *IAENG International Journal of Computer Sciencei*, 37(2): 18-26.