

- Part A, 43(9): 1431-1440. <http://dx.doi.org/10.1016/j.compositesa.2012.04.007>
- [16] Merkel, K., Rydarowski, H., Kazimierzak, J., Bloda, A. (2014). Processing and characterization of reinforced polyethylene composites made with lignocellulosic fibres isolated from waste plant biomass such as hemp. *Composites: Part B*, 67: 138-144. <http://dx.doi.org/10.1016/j.compositesb.2014.06.007>
- [17] Nekkaa, S., Guessoum, M., Benamara, R., Haddaoui, N. (2013). Influence of surface flour treatment on the thermal, structural and morphological properties of polypropylene / spartium junceum flour composites. *Polymer-Plastics Technology and Engineering*, 52: 175-181. <http://dx.doi.org/10.1080/03602559.2012.734363>
- [18] Xie, Y., Callum, A.S.H., Xiao, Z., Holger, M., Carsten, M. (2010). Silane coupling agents used for natural fiber / polymer composites: A review. *Composites: Part A*, 41(7): 806-819. <http://dx.doi.org/10.1016/j.compositesa.2010.03.005>
- [19] Abdelmouleh, M., Boufi, S., Belgacem, M.N., Dufresne, A. (2007). Short natural fibre reinforced polyethylene and natural rubber composites: Effect of silane coupling agents and fibres loading. *Composites Science and Technology*, 67(7-8): 1627-1639. <http://dx.doi.org/10.1016/j.compscitech.2006.07.003>
- [20] Bledzki, A.K., Mamun, A.A., Lucka, G.M., Gutowski, V.S. (2008). The effects of acetylation on properties of flax fibre and its polypropylene composites. *Express Polymer Letters*, 2(6): 413-422. <http://dx.doi.org/10.3144/expresspolymlett.2008.50>
- [21] Naghmouchi, I., Espinach, X.F., Mutjé, P., Boufi, S. (2015). Polypropylene composites based on lignocellulosic fillers: How the filler morphology affects the composite properties. *Materials and Design*, 65: 454-461. <http://dx.doi.org/10.1016/j.matdes.2014.09.047>
- [22] Djidjelli, H., Benachour, D., Boukerrou, A., Zefouni, O., Martinez-Véga, J., Farenc, J., Kaci, M. (2007). Thermal, dielectric and mechanical study of poly(vinylchloride) / olive pomace composites. *Express Polymer Letters*, 1(22): 846-852. <https://dx.doi.org/10.3144/expresspolymlett.2007.117>
- [23] Hassaini, L., Kaci, M., Touati, N., Pillin, I., Kervoelen, A., Bruzard, S. (2017). Valorization of olive husk flour as a filler for biocomposites based on poly(3-hydroxybutyrate-co-3-hydroxyvalerate): Effects of silane treatment. *Polymer Testing*, 59: 430-440. <http://dx.doi.org/10.1016/j.polymertesting.2017.03.004>
- [24] Oumer, A.N., Bachtiar, D. (2014). Modeling and experimental validation of tensile properties of sugar palm fiber reinforced high impact polystyrene composites. *Fibers and Polymers*, 15: 334-339. <https://doi.org/10.1007/s12221-014-0334-5>
- [25] Zizumbo, A., Licea-Claverie, A., Lugo-Medina, E., García-Hernández, E., Madrigal, D., Zitzumbo, R. (2011). Polystyrene composites prepared with polystyrene grafted-fibers of sugar cane bagasse as reinforcing material. *Journal of the Mexican Chemical Society*, 55: 33-41.
- [26] Hammoui, Y., Molina-Boisseau, S., Duval, A., Djerrada, N., Adjeroud, N., Remini, H., Dahmoune, F., Madani, K. (2015). Preparation of plasticized wheat gluten / olive pomace powder biocomposite: Effect of powder content and chemical modifications. *Materials and Design*, 87(15): 742-749. <http://dx.doi.org/10.1016/j.matdes.2015.08.080>
- [27] Monteiro, S.N., Calado, V., Rodriguez, R.J.S., Margem, F.M. (2012). Thermogravimetric stability of polymer composites reinforced with less common lignocellulosic fibers: An overview. *Journal of Materials Research and Technology*, 1(2): 117-126. [https://doi.org/10.1016/S2238-7854\(12\)70021-2](https://doi.org/10.1016/S2238-7854(12)70021-2)
- [28] Sathishkumar, T.P., Navaneethakrishnan, P., Shankar, S., Rajasekar, R., Rajini, N. (2013). Characterization of natural fiber and composites – A review. *Journal of Reinforced Plastics and Composites*, 32: 1457-1476. <https://doi.org/10.1177/0731684413495322>
- [29] Kaci, M., Djidjelli, H., Boukerrou, A., Zaidi, L. (2007). Effect of wood filler treatment and EBAGMA compatibilizer on morphology and mechanical properties of low density polyethylene / olive husk flour composites. *Express Polymer Letters*, 1(7): 467-473. <https://doi.org/10.3144/expresspolymlett.2007.65>
- [30] Thao, T.P., Bénézet, J.C., Bergeret, A. (2014). Rice and Einkorn wheat husks reinforced poly(lactic acid) (PLA) biocomposites: Effects of alkaline and silane surface treatments of husks. *Industrial Crops and Products*, 58: 111-124. <https://doi.org/10.1016/j.indcrop.2014.04.012>
- [31] Yu, T., Ren, J., Li, S.M., Yuan, H., Li, Y. (2010). Effect of fiber surface treatments on the properties of poly(lactic acid) / ramie composites. *Composites: Part A*, 41(4): 499-505. <https://doi.org/10.1016/j.compositesa.2009.12.006>
- [32] Sapuana, S.M., Bachtiar, D. (2012). Mechanical properties of sugar palm fibre reinforced high impact polystyrene composites. *Procedia Chemistry*, 4: 101-106. <https://doi.org/10.1016/j.proche.2012.06.015>
- [33] Nah, C., Hong, C.K., Hwang, I., Kim, N., Park, D.H., Hwang, B.S. (2008). Mechanical properties of silanized jute polypropylene composites. *Journal of Industrial and Engineering Chemistry*, 14(1): 71-76. <http://dx.doi.org/10.1016%2Fj.jiec.2007.07.002>

NOMENCLATURE

PS	Polystyrene matrix
OPF	Olive pomace flour
F _{UT}	Formulation with untreated Flour
F _{ST}	Formulation with treated Flour