



















- Observations and Remote Sensing, 12(2): 722-733. <https://doi.org/10.1109/jstars.2019.2892990>
- [5] Bhandari, A.K., Kumar, D., Kumar, A., Singh, G.K. (2016). Optimal sub-band adaptive thresholding-based edge preserved satellite image denoising using adaptive differential evolution algorithm. *Neurocomputing*, 174: 698-721. <https://doi.org/10.1016/j.neucom.2015.09.079>
- [6] Biswas, M., Om, H. (2016). A new adaptive image denoising method based on neighboring coefficients. *Journal of the Institution of Engineers (India): Series B (Electrical, Electronics & Telecommunication and Computer Engineering)*, 97(1): 11-19. <https://doi.org/10.1007/s40031-014-0166-0>
- [7] Bouhali, A., Berkani, D. (2017). Combination of spatial filtering and adaptive wavelet thresholding for image denoising. *International Journal of Image, Graphics and Signal Processing*, 9(5): 9-19. <https://doi.org/10.5815/ijigsp.2017.05.02>
- [8] Diwakar, M., Kumar, M. (2018). A review on CT image noise and its denoising. *Biomedical Signal Processing and Control*, 42: 73-88. <https://doi.org/10.1016/j.bspc.2018.01.010>
- [9] Farfuq, S.K.U., Ramanaiyah, K.V., Rajan, K.S. (2012). A novel algorithm for generalized image denoising using dual tree complex wavelet transform. *i-Manager's Journal on Software Engineering*, 7(2): 24-33.
- [10] Farouj, Y., Freyermuth, J.M., Navarro, L., Clausel, M., Delachartre, P. (2017). Hyperbolic wavelet-fisz denoising for a model arising in ultrasound imaging. *Ieee Transactions on Computational Imaging*, 3(1): 1-10. <https://doi.org/10.1109/tci.2016.2625740>
- [11] Goyal, B., Agrawal, S., Sohi, B.S., Dogra, A. (2016). Noise reduction in MR brain image via various transform domain schemes. *Asian Journal of Research in Chemistry*, 9(7): 919-924. <https://doi.org/http://dx.doi.org/10.5958/0974-360X.2016.00176.1>
- [12] Kamble, V.M., Parlewar, P., Keskar, A.G., Bhurchandi, K.M. (2016). Performance evaluation of wavelet, ridgelet, curvelet and contourlet transforms based techniques for digital image denoising. *Artificial Intelligence Review*, 45(4): 509-533. <https://doi.org/10.1007/s10462-015-9453-7>
- [13] Khmag, A., Ramli, A.R., Kamarudin, N. (2019). Clustering-based natural image denoising using dictionary learning approach in wavelet domain. *Soft Computing*, 23(17): 8013-8027. <https://doi.org/10.1007/s00500-018-3438-9>
- [14] Kumar, S., Sarfaraz, M., Ahmad, M.K. (2018). Denoising method based on wavelet coefficients via diffusion equation. *Iranian Journal of Science and Technology Transaction a-Science*, 42(A2): 721-726. <https://doi.org/10.1007/s40995-017-0228-7>
- [15] Lu, Z., Pei, D. (2016). Algorithm of image denoising based on the optimized method of wavelet thresholding. *Audio Engineering*, 40(4): 39-44. <https://doi.org/10.16311/j.audioe.2016.04.09>
- [16] Rabbouch, H., Saadaoui, F. (2018). A wavelet-assisted subband denoising for tomographic image reconstruction. *Journal of Visual Communication and Image Representation*, 55: 115-130. <https://doi.org/10.1016/j.jvcir.2018.05.004>
- [17] Remenyi, N., Nicolis, O., Nason, G., Vidakovic, B. (2014). Image denoising with 2D scale-mixing complex wavelet transforms. *Ieee Transactions on Image Processing* 23(12): 5165-5174. <https://doi.org/10.1109/tip.2014.2362058>
- [18] Saravani, S., Shad, R., Ghaemi, M. (2018). Iterative adaptive Despeckling SAR image using anisotropic diffusion filter and Bayesian estimation denoising in wavelet domain. *Multimedia Tools and Applications*, 77(23): 31469-31486. <https://doi.org/10.1007/s11042-018-6153-8>
- [19] Shi, S., Qu, S.R., Zhao, H., Chen, F.L. (2012). A line enhancement algorithm for infrared image based on ridgelet. *Applied Mechanics and Materials*, 182: 1786-1790. <https://doi.org/http://dx.doi.org/10.4028/www.scientific.net/AMM.182-183.1786>
- [20] Suryanarayana, G., Dhuli, R. (2016). Shock filter-based image super-resolution using dual-tree complex wavelet transform and singular value decomposition. *Compel*, 35(3): 1162-1178.
- [21] Talbi, M., Bouhlel, M.S., Cherif, A. (2017). A hybrid technique of image denoising using the curvelet transform based denoising method and two-stage image denoising by PCA with local pixel grouping. *Current Medical Imaging Reviews*, 13(4): 484-494. <https://doi.org/10.2174/1573405613666170614082754>
- [22] Vijayaraghavan, V., Karthikeyan, M. (2018). Denoising of images using principal component analysis and undecimated dual tree complex wavelet transform. *International Journal of Biomedical Engineering and Technology*, 26(3-4): 304-315.
- [23] Wang, Y., Lei, F., Fu, G.J. (2013). Adaptive denoising algorithms based on wavelet for pool underwater image. *Applied Mechanics and Materials*, 333: 1024-1029. <https://doi.org/http://dx.doi.org/10.4028/www.scientific.net/AMM.333-335.1024>
- [24] Zhao, H.H., Jr, J.F.L., Martinez, A., Qiao, Z.J. (2013). SAR image denoising based on wavelet packet and median filter. *Applied Mechanics and Materials*, 333: 916-919. <https://doi.org/http://dx.doi.org/10.4028/www.scientific.net/AMM.333-335.916>
- [25] Zhong, Y.F., Fu, L.J., Zhou, T. (2012). Based on median pyramid transform of the color image inverse halftoning. *Applied Mechanics and Materials*, 200: 724-729. <https://doi.org/http://dx.doi.org/10.4028/www.scientific.net/AMM.200.724>