

- Zheng, Q., Yen, N.C., Tung, C.C., Liu, H.H. (1998). The empirical mode decomposition and the Hilbert spectrum for nonlinear and non-stationary time series analysis. *Proceedings of the Royal Society of London Series*, 454(1971): 903-995. <https://doi.org/10.1098/rspa.1998.0193>
- [9] Santos, R.B., de Almeida, W.S., da Silva, F.V., da Cruz, S.L., Fileti, A.M.F. (2013). Spectral analysis for detection of leaks in pipes carrying compressed air. *Chem. Eng. Trans*, 32: 1363-1368. <https://doi.org/10.3303/CET1332228>
- [10] Adedeji, K., Hamam, Y., Abe, B., Abu-Mahfouz, A.M.I. (2017). Leakage detection algorithm integrating water distribution networks hydraulic model. *SimHydro 2017: Choosing the Right Model in Applied Hydraulics*, Sophia Antipolis, France.
- [11] Bentoumi, M. (2017). Wavelet DT method for water leak-detection using a vibration sensor: an experimental analysis. *IET Signal Process Journal*, 11(4): 396-405. <https://dx.doi.org/10.1049/iet-spr.2016.0113>
- [12] Nasirian, A., Maghrebi, M.F., Yazdani, S. (2013). Leakage detection in water distribution network based on a new heuristic genetic algorithm model. *J. Water Resour. Prot.*, 5(3): 294-303. <https://doi.org/10.4236/jwarp.2013.53030>
- [13] Taghvaei, M., Beck, S.B.M., Staszewski, W.J. (2006). Leak detection in pipelines using cepstrum analysis. *J. Meas. Sci. Technol.*, 17(2): 367-372. <https://doi.org/10.1088/0957-0233/17/2/018>
- [14] Ghazali, M.F., Beck, S.B.M., Shucksmith, J.D., Boxall, J.B., Staszewski, W.J. (2012). Comparative study of instantaneous frequency-based methods for leak detection in pipeline networks. *J. Mechanical Systems and Signal Processing*, 29: 187-200. <https://doi.org/10.1016/j.ymssp.2011.10.011>
- [15] Chuanhu, G.E., Yang, H.Y., Ye, H., Wang, G.Z. (2009). A fast leak locating method based on wavelet transform. *J. Tsinghua Sci. Technol.*, 14(5): 551-555. [https://doi.org/10.1016/S1007-0214\(09\)70116-6](https://doi.org/10.1016/S1007-0214(09)70116-6)