











- <https://doi.org/10.1016/j.compstruct.2011.10.006>
- [6] Chen WJ, Li L, Ma X. (2011). A modified couple stress model for bending analysis of composite laminated beams with first order shear deformation. *Composite Structures* 93(11): 2723-2732. <https://doi.org/10.1016/j.compstruct.2011.05.032>
- [7] Li AQ, Zhou SJ. (2014). A size-dependent bilayered microbeam model based on strain gradient elasticity theory. *Composite Structures* 108(1): 259-266. <https://doi.org/10.1016/j.compstruct.2013.09.020>
- [8] Zhu WQ, Wu YJ, Chen LC. (2003). First-passage time of duffing oscillator under combined harmonic and white-noise excitation. *Nonlinear Dynamics* 32(3): 291-305. <https://doi.org/10.1016/j.probenmech.2018.06.003>
- [9] Li W, Xu W, Zhao JF, Jin YF. (2006). First-passage problem for strong nonlinear stochastic dynamical systems. *Chaos Solitons & Fractals* 28(2): 414-421. <https://doi.org/10.1016/j.chaos.2005.05.054>
- [10] Chen LC, Zhu WQ. (2010). First passage failure of quasi partial integrable generalized Hamiltonian systems. *International Journal of Non-Linear Mechanics* 45(1): 56-62. <https://doi.org/10.1016/j.ijnonlinmec.2009.09.002>
- [11] Ding N, Xu X, Zheng ZQ, Li E. (2017). Size-dependent nonlinear dynamics of a microbeam based on the modified couple stress theory. *Acta Mechanica* 228(10): 3561-3579. <https://doi.org/10.1007/s00707-017-1895-3>
- [12] Homsı L, Geuzaine C, Noels L. (2017). A coupled electro-thermal Discontinuous Galerkin method. *Journal of Computational Physics* 348: 231-258. <https://doi.org/10.1016/j.jcp.2017.07.028>
- [13] Wu J, Cao J. (2013). Generic mechanism of optimal energy transfer efficiency: a scaling theory of the mean first-passage time in exciton systems. *Physical Review Letter* 110(20): 2624-2628. <https://doi.org/10.1103/physrevlett.110.200402>
- [14] Zhang WM, Meng G. (2007). Nonlinear dynamic analysis of electrostatically actuated resonant mems sensors under parametric excitation. *IEEE Sensors Journal* 7(3-4): 370-380. <https://doi.org/10.1109/jsen.2006.890158>
- [15] Zhu WQ, Ying ZG, Soong TT. (2001). An optimal nonlinear feedback control strategy for randomly excited structural systems. *Nonlinear Dynamics* 24(1): 31-35. <https://doi.org/10.1023/a:1026527404183>
- [16] Mergen HG, Marco A, Hamed F. (2013). Nonlinear forced vibrations of a microbeam based on the strain gradient elasticity theory. *International Journal of Engineering Science* 63: 52-60. <https://doi.org/10.1016/j.ijengsci.2012.12.001>
- [17] Kahrobaian MH, Asghari M, Ahmadian MT. (2014). A Timoshenko beam element based on the modified couple stress theory. *International Journal of Mechanical Sciences* 79: 75-83. <https://doi.org/10.1016/j.ijmecsci.2013.11.014>
- [18] Tao C, Fu YM. (2017). Thermal buckling and post buckling analysis of size dependent composite laminated micro-beams based on a new modified couple stress theory. *Acta Mechanica* 228(5): 1711-1724. <https://doi.org/10.1007/s00707-016-1770-7>
- [19] He D, Yang WL, Chen WJ. (2017). A size dependent composite laminated skew plate model based on a new modified couple stress theory. *Science Direct* 30(1): 75-86. <https://doi.org/10.1016/j.camss.2016.12.001>