

- quaternaries for improved performance benefits as rinse cycle fabric softeners, *J. Surfact. Deterg*, Vol. 30, pp. 401-405.
- [2] Tyagi R., Tyagi V.K., Khanna R.K. (2006). Synthesis, characterization and performance of tallow fatty acids and triethanolamine based esterquats, *J. Oleo Sci*, Vol. 55, pp. 337-345.
- [3] Puchta R., Krings P., Sandkuehler P. (1993). A new generation of softeners, *Tenside, Surfact. Deterg*, Vol. 30, pp. 186-191.
- [4] Jiang Y., Geng T., Li Q. (2012). Synthesis of stearic acid triethanolamine ester over Al-SBA-J0, *Porous Mater*, Vol. 19, pp. 369 -374.
- [5] Idris Z., Ahmad S., Nakasato S. (1995). Preparation of palm-based esteramine using chemical catalyst, *Elaies*, Vol. 7, No. 2, pp. 135 -145.
- [6] Haliza A.A., Idrisol Z., Hazimah A.H. (2014). Transesterification of palm stearin methyl ester and triethanolamine, *An Alternative Technology for Esterquats Production. Inter J App Sci and Tech*, Vol. 4, No. 7, pp. 60-66.
- [7] Masoumi H.R.F., Kassim A., Basri M., Abdullah D.K., Abdollahi Y., Ghani S.S., Rezaee M. (2013). Statistical optimization of process parameters for lipase-catalyzed synthesis of triethanolamine-based esterquats using response surface methodology in 2-liter bioreactor, *The Sci World Journal*, pp. 1-9.
- [8] Geng T., Li Q., Jiang Y., Wang W. (2010). Synthesis of stearic acid triethanolamine ester over solid acid catalysts, *Chinese Chem Lett* 21, pp. 1020-1024.
- [9] Geng T., Li Q., Jiang Y., Wang W. (2011). Esterification of stearic acid with triethanolamine over zirconium sulfate supported on SBA-15 mesoporous molecular sieve, *J. Surfact Deterg*, Vol. 14, No. 1, pp. 15–22.
- [10] Jiang Y., Geng T., Li Q. (2012). Synthesis of stearic acid triethanolamine ester over Al-SBA-15, *J Porous Mater* 19, pp. 369–374.
- [11] Haliza A.A., Aroua M.K., Yusoff R., Abas N.A., Idris Z., Hazimah A.H. (2016). Production of palm-based esteramine through heterogeneous catalysis, *J Surfact Deterg*, Vol. 19, No. 1, pp. 11–18.
- [12] Cavani F., Trifirb F., Vaccari A. (1991). Hydrotalcite-type anionic clays preparation, properties and applications, *Catal Today*, Vol. 11, No. 2, pp. 173-301.
- [13] Simonetti E.A.N., Thim G.P., Cortez G.G. (2014). Ca-Al hydrotalcites as catalysts for methanolysis and ethanolysis of soybean oil, *Mod Res Catal*, Vol. 3, pp. 117– 127.
- [14] Gao L.J., Teng G.Y., Xiao G.M., Wei R.P. (2010). Biodiesel from palm oil via loading KF/Ca-Al hydrotalcite catalyst, *Biomass Bioenerg*, Vol. 34, pp. 1283-1288.
- [15] Moos W.H., Pavia M.R., Ellington A.D., Kay B.K. (1997). *Annual Reports in Combinatorial Chemistry and Molecular Diversity*, Vol. 1, The Netherlands, ESCOM Science Publishers B.V.
- [16] Norhazimah A.H., Faizal C.K.M. (2012). Optimization of fermentation parameters for the production of bio-ethanol from oil palm trunks sap using face-centered (CCD), Australian and New Zealand Chemical Engineers Conference Proceeding (Chemeca).
- [17] Bonhorst C.W., Althouse P.M., Triebold H.O. (1948). Esters of naturally occurring fatty acids, *Ind Eng Chem*, Vol. 40, pp. 2379 – 84.
- [18] Savita G.D., Agarwal D., Susanta B. (2008). Synthesis and characterization of hydrotalcites: potential thermal stabilizer for PVC, *Indian J Chem* 47A, pp. 1004-1008.
- [19] Reddy L.V.A., Wee Y.J., Yun J.S., Ryu H.W. (2008). Optimization of alkaline protease production by batch culture of *Bacillus* sp. RKY3 through Plackett-Burman and response surface methodological approaches, *Bioresource Technology*, Vol. 99, No. 7, pp. 2242-2249.
- [20] Haaland P.D. (1989). *Experimental design in biotechnology*, New York, Marcel Dekker Inc.
- [21] Zabeti M., Daud W.M.A.W., Aroua M.K. (2009). Optimization of the activity of CaO/Al₂O₃ catalyst for biodiesel production using response surface methodology, *Appl Cataly A Gen*, Vol. 366, pp. 154– 159.
- [22] Xie W., Yang X., Zang X. (2015). Interesterification of soybean oil methyl stearate catalyzed by guanidine-functionalized SBA – 15 silica, *J Am Oil Chem Soc*, Vol. 92, pp. 915 - 925.
- [23] Wang Y., Nie X., Liu Z. (2015). Biodiesel synthesis from *styrax confuses hems* catalyzed by S₂O₈²⁻/ZrO₂ – TiO₂ – Fe₃O₄, *J Am Oil Chem Soc*, Vol. 92, pp. 813 – 820.
- [24] Franklin R., Mendello R., Albert P., Steichen D., Trinh P.N. (2002). High di (alkyl fatty ester) amines and quaternary ammonium compounds derived therefrom, Patent No. US 200200 25915A1.
- [25] Zabeti M., Daud W.M.A.W., Aroua M.K. (2010). Biodiesel production using alumina-supported calcium oxide: an optimization study, *Fuel Process Technol*, Vol. 91, pp. 243–248.
- [26] Jose R.O., Olga G., Belen M., Amaia P., Camilo R., Leire L., Jesus T., Maria C.V. (2009). Synthesis of glycerol carbonate from glycerol and dimethyl carbonate by transesterification: catalyst screening and reaction optimization, *Appl Cataly A Gen*, Vol. 366, pp. 315–324.