











- harvesting, *Strain*, Vol. 40, pp. 49-58. DOI: [10.1111/j.1475-1305.2004.00120.x](https://doi.org/10.1111/j.1475-1305.2004.00120.x)
- [18] Beeby S.P., Tudor M.J., White N.M. (2006). Energy harvesting vibration sources for microsystems applications, *Measurement Science & Technology*, Vol. 17, pp. 175-195. DOI: [10.1088/0957-0233/17/12/R01](https://doi.org/10.1088/0957-0233/17/12/R01)
- [19] Beeby S.P., Torah R.N., Tudor M.J. Glynn-Jones P.O., Donnell T., Saha C.R., Roy S. (2007). A micro electromagnetic generator for vibration energy harvesting" *Journal of Micromechanics & Micro engineering*, Vol. 17, pp. 1257-1265. DOI: [10.1088/0960-1317/17/7/007](https://doi.org/10.1088/0960-1317/17/7/007)
- [20] Barker S., Vassilevski K.V., Wright N.G., Horsfall A.B. (2010). High temperature vibration energy harvester system, *Conference, IEEE sensor, Kona, HI*, pp. 300-303. DOI: [10.1109/ICSENS.2010.5689870](https://doi.org/10.1109/ICSENS.2010.5689870)
- [21] Minazara, Vasic D., Costa F. (2014). Piezoelectric generator harvesting bike vibrations energy to supply portable devices, *Australian Mining Technology Conference*, pp. 1-6.
- [22] Mo C., Radziemski L.J., Clark W.W. (2010). Analysis of piezoelectric circular diaphragm energy harvesters for use in a pressure fluctuating systems, *Smart Materials & Structures*, Vol. 19, No. 2, article ID 025016.
- [23] Mo C., Wright R., Slaughter W.S., Clark W.W. (2006). Behaviour of a unimorph circular piezoelectric actuator, *Smart Materials & structures*, Vol. 15, No. 4, pp. 1094-1102.
- [24] Kotmann G., Hofmann H.F., Lesieutre G.A. (2003). Optimized piezoelectric energy harvesting circuit using step down converter in discontinuous conduction mode, *IEEE transactions on power Electronics*, Vol. 18, No. 2, pp. 696-703. DOI: [10.1109/TPEL.2003.809379](https://doi.org/10.1109/TPEL.2003.809379)
- [25] Kameierski T.J., Beeby S. (2011). Energy harvesting systems: principles, modelling & applications, *Springer science*, Berlin, Heidelberg.
- [26] Sodano H.A., Inman D.J. (2004). A review of power harvesting from vibration using piezoelectric materials, *The Shock & Vibration Digest*, Vol. 36, pp. 197-205. DOI: [10.1177/0583102404043275](https://doi.org/10.1177/0583102404043275)
- [27] Carroll D., Duffy M. (2005). Demonstration of wearable power generator, *Proceedings of the 11<sup>th</sup> European Conference on Power Electronics & Applications*, Dresden, Germany, pp. 1-10. DOI: [10.1109/EPE.2005.219730](https://doi.org/10.1109/EPE.2005.219730)
- [28] Wu C. (1996). Analysis of waste-heat thermoelectric power generators, *Applied Thermal Engineering*, Vol. 16, pp. 63-69. DOI: [10.1016/1359-4311\(95\)00014-5](https://doi.org/10.1016/1359-4311(95)00014-5)
- [29] Rowe M.D., Min G., Williams S.G., Aoune A., Matsuura K., Kuznetsov V.L., Fu L.W. Thermoelectric recovery of waste heat – case studies. DOI: [10.1109/IECEC.1997.661919](https://doi.org/10.1109/IECEC.1997.661919)
- [30] Rowe D.M., Kuznetsov V.L., Kuznetsova L.A., Min G. (2002). Electrical & thermal transport properties of intermediate-valence YbAl<sub>3</sub>, *Journal of Physics D: Applied Physics*, pp. 2183-2186. DOI: [10.1088/0022-3727/35/17/315](https://doi.org/10.1088/0022-3727/35/17/315)
- [31] Stordeur M., Stark I. (1997). Low power thermoelectric generator-self-sufficient energy supply for micro systems, Proc. 16th Int. Conf. *Thermo electrics*, pp. 575-577. DOI: [10.1109/ICT.1997.667595](https://doi.org/10.1109/ICT.1997.667595)
- [32] Fleming J., Ng W., Ghamaty S. (2004). Thermo electric based power system for unmanned-air-vehicle/microair-vehicle applications, *Journal of Aircraft*, Vol. 41, pp. 674-676.
- [33] Wojciechowski K., Merkisz J., Fuć P., Lijewski P., Schmidt M., Zybala R. (2007). Study of recovery of waste heat from exhaust of automotive engine, *5th European Conference on Thermo electrics*, Odessa, Ukraine, pp. 194-198. DOI: [10.1007/s11664-009-1010-1](https://doi.org/10.1007/s11664-009-1010-1)
- [34] Birkholz U., Grob U.E., Riffel M., Roth H., Stohrer U. (1988). Conversion of waste exhaust heat in automobile using FeSi<sub>2</sub> thermo elements, *Proc. of the 7th International Conference on Thermoelectric Energy Conversion*, Arlington, VA, pp. 124-128.
- [35] Matsubara K. (2002). Development of a high efficient thermoelectric stack for a waste exhaust heat recovery of vehicles, *Proc. of the 21st International Conference on Thermoelectronics*, August 25-29th, Portland, OR, pp. 418-423. DOI: [10.1109/ICT.2002.1190350](https://doi.org/10.1109/ICT.2002.1190350)
- [36] Wang J., He J., Chen J., Zhou Y. (2002). Regenerative characteristics of electro caloric Stirling or Ericsson refrigeration cycles, *Energy Conversion & Management*, Vol. 43, pp. 2319-2327.
- [37] Gonzalo J.A. (1976). Ferroelectric materials as energy converters, *Ferroelectrics*, Vol. 11, pp. 423-429.
- [38] Olsen R.B., Bruno D.A., Briscoe J.M., Jacobs E.W. (1985). Pyroelectric conversion cycle of vinylidene fluoride-trifluoro ethylene copolymer, *Journal of Applied Physics*, Vol. 57, pp. 5036-5042. DOI: [10.1063/1.335280](https://doi.org/10.1063/1.335280)
- [39] Olsen R.B., Bruno D.A., Briscoe J.M., Dullea J. (1985). High electric field resistivity & pyroelectric properties of vinylidene fluoride-trifluoro ethylene copolymer, *Journal of Applied Physics*, Vol. 58, p. 2854. DOI: [10.1063/1.335857](https://doi.org/10.1063/1.335857)
- [40] Guyomar D., Sebald G., Lefeuvre E., Khodayari A. (2009). Toward heat energy harvesting using pyroelectric material, *Journal of Intelligent Material Systems & Structures*, Vol. 20, pp. 265-271. DOI: [10.1177/1045389X08093564](https://doi.org/10.1177/1045389X08093564)
- [41] Xie J., Lee C.K., Feng H.H. (2010). Design, fabrication, & characterization of CMOS mems-based thermoelectric power generators, *Journal of Microelectromechanical Systems*, Vol. 19, No. 2. DOI: [10.1109/JMEMS.2010.204103](https://doi.org/10.1109/JMEMS.2010.204103)