







- transmission lines. International Conference on Power Systems Transients (IPST'11) in Delft.
- [27] Baseer MA. (2013). Travelling waves for finding the fault location in transmission lines. *Journal Electrical and Electronic Engineering* 1(1): 1-19. <https://doi.org/10.11648/j.jeee.20130101.11>
- [28] Papaleonidopoulos IC, Theodorou NJ, Capsalis CN. (2013). Travelling-wave modelling of uniform multi conductor transmission line networks-Part II: Experimental validation-applicability. *Progress in Electromagnetics Research B* 52: 295-305. <https://doi.org/10.2528/PIERB13012008>
- [29] Gale PF, Stokoe J, Crossley PA. (1997). Practical experience with travelling wave fault locators on Scottish power's 275 & 400 KV transmission system. 6th International Conference on Developments in Power Systems Protection, pp. 192-196. <https://doi.org/10.1049/cp:19970061>
- [30] Idris MH, Mustafa MW, Yatim Y. (2012). Effective Two-Terminal Single Line to Ground Fault Location Algorithm. 2012 IEEE International Power Engineering and Optimization Conference Melaka, Malaysia. <https://doi.org/10.1109/PEOCO.2012.6230869>
- [31] Kawady T, Stenzel J. (2002). Investigation of practical problems for digital fault location algorithms based on EMTP simulation. *IEEE/PES Transmission and Distribution Conference and Exhibition 1*: 118-123. <https://doi.org/10.1109/TDC.2002.1178270>
- [32] Aurangzeb M, Crossley PA, Gale P. (2001). Fault location using the high frequency travelling waves measured at a single location on a transmission line. 7th International Conference on Developments in Power Systems Protection (DPSP 2001): 403-406. <https://doi.org/10.1049/cp:20010185>
- [33] Redfem MA, Terry SC, Robinson FVP. (2004). The application of distribution system current transformers for high frequency transient based protection. Eighth IEEE International Conference on Developments in Power System Protection, pp. 108-111. <https://doi.org/10.1049/cp:20040075>
- [34] Milioudis AN, Andreou GT, Labridis DP. (2012). Enhanced protection scheme for smart grids using power line communications techniques-part i: Detection of high impedance fault occurrence. *IEEE Transactions on Smart Grid* 3(4): 1621-1630. <https://doi.org/10.1109/TSG.2012.2208987>
- [35] Dolezilek DJ, Schweitzer S. (2009). Practical applications of smart grid technologies. *Smart Grid RoadShow 2(1)*: 1-7.
- [36] Zavoda F. (2011). Sensors and IEDs required by smart distribution applications. *The First International Conference on Smart Grids, Green Communications and IT Energy-aware Technologies*.
- [37] Holey DM, Chandrakar VK. (2016). Harmonic analysis techniques of power system-a review. *International Research Journal of Engineering and Technology (IRJET)* 3(2): 680-684.
- [38] Ellis RG. (1996). Harmonic: Analysis of industrial power systems. *IEEE Transactions on Industry Applications* 32(2): 417-421. <https://doi.org/10.1109/28.491492>
- [39] Al-duaij EOS. (2015). Harmonics effects in power system. *Journal of Engineering Research and Applications* 5(2): 1-19.
- [40] Acha E, Madrigal M. (2001). Power systems harmonics.
- [41] Nuthalapati B, Sinha UK. (2018). Detection of downed or Broken power line Fault not touching the ground. *Journal Européen des Systèmes Automatisés* 51(4-6): 309-321. <https://doi.org/10.3166/JESA.51.309-321>
- [42] Nuthalapati B, Sinha UK. (2018). Location and detection of downed power line fault not touching the ground. *European Journal of Electrical Engineering* 20(3): 347-362. <https://doi.org/10.3166/EJEE.20.347-362>