











- network energy efficient coverage method based on intelligent optimization algorithm. *Discrete and Continuous Dynamical Systems-Series*, 12(4-5): 887-900.
- [3] Xiao, K.J., Wang, R., Deng, H., Zhang, L., Yang, C.H. (2018). Energy-aware scheduling for information fusion in wireless sensor network surveillance. *Information Fusion*, 48: 95-106. <http://dx.doi.org/10.1016/j.inffus.2018.08.005>
- [4] Habib, M. (2019). Energy-efficient algorithm for reliable routing of wireless sensor networks. *IEEE Transactions on Industrial Electronics*, 66(7): 5567-5575.
- [5] Caria, M., Jukan, A., Hoffmann, M. (2016). SDN partitioning: A centralized control plane for distributed routing protocols. *IEEE Transactions on Network and Service Management*, 13(3): 381-393. <http://dx.doi.org/10.1109/TNSM.2016.2585759>
- [6] Al-Shalabi, M., Anbar, M., Wan, T.C. (2018). Variants of the Low-energy adaptive clustering hierarchy protocol: Survey, Issues and Challenges. *Electronics*, 7(8): 136. <http://dx.doi.org/10.3390/electronics7080136>
- [7] Lee, J.S., Kao, T.Y. (2016). An improved three-layer low-energy adaptive clustering hierarchy for wireless sensor networks. *IEEE Internet of Things Journal*, 3(6): 951-958. <https://doi.org/10.1109/JIOT.2016.2530682>
- [8] Liu, X.T., Chen, Z.P., Huang, Y.R. (2019). A non-uniform clustering routing algorithm based on energy equilibrium. *Microelectronics and Computer*, 36(2): 36-40.
- [9] Chen, Z.G., Yin, B.A., Wu, J. (2018). Message importance based energy balanced routing algorithm. *Journal of Communication*, 39(12): 91-101.
- [10] Asha, G., Santhosh, R. (2019). Soft computing and trust-based self-organized hierarchical energy balance routing protocol (TSHEB) in wireless sensor networks. *Soft Computing*, 23(8): 2537-2543.
- [11] Chowdhury, S., Giri, C. (2019). Energy and network balanced distributed clustering in wireless sensor network. *Wireless Personal Communications*, 105(3): 1083-1109. <https://doi.org/10.1007/s11277-019-06137-z>
- [12] Liu, Y.H., Wu, Y.M., Chang, J.Y. (2019). The diffusion clustering scheme and hybrid energy balanced routing protocol (DCRP) in multi-hop wireless sensor networks. *AD HOC & Sensor Wireless Networks*, 43(1-2): 33-56.
- [13] Kulshrestha, J., Mishra, M.K. (2018). Energy balanced data gathering approaches in wireless sensor networks using mixed-hop communication. *Computing*, 100(10): 1033-1058. <https://doi.org/10.1007/s00607-018-0597-6>
- [14] Khan, I., Singh, D. (2018). Energy-balance node-selection algorithm for heterogeneous wireless sensor networks. *ETRI Journal*, 40(5): 604-612. <https://doi.org/10.4218/etrij.2017-0349>
- [15] Sun, Z.W., Wei, M., Zhang, Z.W. (2019). Secure routing protocol based on multi-objective ant-colony-optimization for wireless sensor networks. *Applied Soft Computing*, 77: 366-375.
- [16] Mittal, N. (2019). Moth flame optimization based energy efficient stable clustered routing approach for wireless sensor networks. *Wireless Personal Communications*, 104(2): 677-694. <https://doi.org/10.1007/s11277-018-6043-4>
- [17] Tabibi, S., Ghaffari, A. (2019). Energy-efficient routing mechanism for mobile sink in wireless sensor networks using particle swarm optimization algorithm. *Wireless Personal Communications*, 104(1): 199-216. <https://doi.org/10.1007/s11277-018-6015-8>
- [18] Awad, F.H. (2018). Optimization of relay node deployment for multisource multipath routing in wireless multimedia sensor networks using gaussian distribution. *Computer Networks*, 145: 96-106.
- [19] Ghazi, A., Ahiod, B. (2018). Energy efficient teaching-learning-based optimization for the discrete routing problem in wireless sensor networks. *Applied Intelligence*, 48(9): 2755-2769. <https://doi.org/10.1007/s10489-017-1108-8>
- [20] Jayanthi, N., Valluvan, K.R. (2018). Bio-inspired optimization routing technique using DNA sequencing algorithm for wireless sensor networks. *Wireless Personal Communications*, 101(4): 2365-2381. <https://doi.org/10.1007/s11277-018-5821-3>