











- [10] Lindgren A, Doria A, Schelén O. (2003). Probabilistic routing in intermittently connected networks. *Advanced Optimal Buffer Scheduling Policy in Opportunistic Networks* 7(3): 19-20. <https://doi.org/10.1145/961268.961272>
- [11] Spyropoulos T, Psounis K, Raghavendra CS. (2005). Spray and wait: An efficient routing scheme for intermittently connected mobile networks. *2005 ACM SIGCOMM Workshop on Delay-tolerant Networking*, pp. 252-259. <https://doi.org/10.1145/1080139.1080143>
- [12] Burgess J, Gallagher B, Jensen D, Levine BN. (2006). MaxProp: Routing for vehicle-based disruption-tolerant networks. *IEEE INFOCOM*.
- [13] Keränen A, Ott J, Kärkkäinen T. (2009). The ONE simulator for DTN protocol evaluation. *2nd International Conference on Simulation Tools and Techniques* 55. <https://doi.org/10.4108/ICST.SIMUTOOLS2009.5674>
- [14] Balasubramanian A, Levine B, Venkataramani A. (2007). DTN routing as a resource allocation problem. *ACM SIGCOMM Computer Communication Review* 37(4): 373-384. <https://doi.org/10.1145/1282427.1282422>