









extent where different embedding models can be considered on large variety of the datasets.

## REFERENCES

- [1] Cho K, van Merriënboer B, Gulcehre C, Bahdanau D, Bougares F, Schwenk H, Bengio, Y. (2014). Learning phrase representations using RNN encoder- decoder for statistical machine translation. In: Proceedings of the Conference on Empirical Methods in Natural Language Processing (EMNLP), Doha, Qatar, pp. 1724–1734. <https://doi.org/10.3115/v1/D14-1>
- [2] Sutskever I, Vinyals O, Le QV. (2014). Sequence to sequence learning with neural networks. In: Advances in Neural Information Processing Systems.
- [3] Pascanu R, Mikolov T, Bengio Y. (2012). On the difficulty of training recurrent neural networks. In: ICML'13 Proceedings of the 30th International Conference on Machine Learning 28: 1310-1318. <https://doi.org/10.1107/s12088-011-0245-8>
- [4] Hochreiter S, Schmidhuber, J. (1997). Long short-term memory. In: Neural Computation 9(8): 1735–1780. <https://doi.org/10.1162/neco.1997.9.8.1735>
- [5] Ramos J. (2013). Using TF-IDF to determine word relevance in document queries. In: Proceedings of the First Instructional Conference on Machine Learning, pp. 242.
- [6] Dong J, Li X, Snoek CGM. (2018). Predicting visual features from text for image and video caption retrieval.
- [7] Ain QT, Ali M, Riazy A, Noureenz A, Kamranz M, Hayat B, Rehman A. (2017). Sentiment analysis using deep learning techniques: A review. In: International Journal of Advanced Computer Science and Applications (IJACSA) 8(6): 8(6): <https://doi.org/10.14569/IJACSA.2017.080657>
- [8] Sokolova M. (2018). Big text advantages and challenges: Classification perspective. In: International Journal of Data Science and Analytics 5(1): 1-10. <https://doi.org/10.1007/s41060-017-0087-5>
- [9] Bouazizi M, Ohtsuki T. (2018). Multi-class sentiment analysis in Twitter: What if classification is not the answer. In: IEEE Access 6: 64486-64502. <https://doi.org/10.1109/ACCESS.2018.2876674>
- [10] Yan XL, Subramanian P. (2018). A review on exploiting social media analytics for the growth of tourism. In: International Conference of Reliable Information and Communication Technology. Springer, Cham. [https://doi.org/10.1007/978-3-319-99007-1\\_32](https://doi.org/10.1007/978-3-319-99007-1_32)
- [11] Shafi MK, Bhat MR, Lone TA. (2018). Sentiment analysis of print media coverage using deep neural networking. In: Journal of Statistics and Management Systems 21(4): 519-527. <https://doi.org/10.1080/09720510.2018.1471263>
- [12] Petrolito R, Dell'Orletta F. (2018). Word embeddings in sentiment analysis. In: Proceedings of the Fifth Italian Conference on Computational Linguistics.