











- Stockholm, pp. 1724-1726.
- [12] Ge X, Xu F, Vasco-Correa J, Li Y. (2016). Giant reed: A competitive energy crop in comparison with miscanthus. *Renewable and Sustainable Energy Reviews* 54: 350-362. <https://doi.org/10.1016/j.rser.2015.10.010>
- [13] Sun J, Pang J. (2017). Game theory-based supplementary collection strategy for industrial buyers in a local agricultural biomass market. *Advances in Modelling and Analysis A* 54 (2): 263-277.
- [14] All Power Labs PP20 datasheet. All Power Labs. [http://www.allpowerlabs.com/wp-content/uploads/2015/10/PP20GeneratorOneSheet10\\_25\\_15Small.pdf](http://www.allpowerlabs.com/wp-content/uploads/2015/10/PP20GeneratorOneSheet10_25_15Small.pdf), accessed on Oct. 12, 2018.
- [15] Bio MA. Biophysical Model Applications. <http://www.biomamodelling.org>, accessed on Oct. 12, 2018.
- [16] MARS. Monitoring Agricultural Resource S. <https://ec.europa.eu/jrc/en/mars>, accessed on Oct. 12, 2018.
- [17] Stella T, Francone C, Yamaç SS, Ceotto E, Pagani V, Pilu R, Confalonieri R. (2015). Reimplementation and reuse of the Canegro model: From sugarcane to giant reed. *Computers and Electronics in Agriculture* 113: 193-202. <https://doi.org/10.1016/j.compag.2015.02.009>
- [18] CRA-CIN. Water redistribution across the soil layers according to a cascading (tipping-bucket) method. <http://agsys.cra-cin.it/tools/default.aspx>, accessed on Oct. 12, 2018.
- [19] Donatelli M, Bregaglio S, Stella T, Fila G. (2016). Modelling agricultural management in multi-model simulation systems. *Proceedings of the International Crop Modelling Symposium*, Berlin.
- [20] Modextreme. Agriculture facing extreme climatic events, <http://modextreme.org>, accessed on Oct. 12, 2018.
- [21] Haylock MR, Hofstra N, Klein Tank AMG, Klok EJ, Jones PD, New M. (2008). A European daily high-resolution gridded dataset of surface temperature and precipitation. *Journal of Geophysical Research (Atmospheres)* 113: D20119. <https://doi.org/10.1029/2008JD010201>
- [22] Channiwala S, Parikh P. (2012). A unified correlation for estimating HHV of solid, liquid and gaseous fuels. *Fuel* 81(08): 1051-1063. [https://doi.org/10.1016/S0016-2361\(01\)00131-4](https://doi.org/10.1016/S0016-2361(01)00131-4)
- [23] Standard test method for ash in biomass, ASTM Standard E1755-95, 1995.
- [24] Biomass gasification - Tar and particles in product gases, CEN/TS Standard 15439, 2006.
- [25] Basu P. (2013). Biomass gasification and pyrolysis, practical design and theory 2th edition. Elsevier, London, pp. 54-59. <https://doi.org/10.1016/B978-0-12-374988-8.00001-5>
- [26] Rinaldini CA, Allesina G, Pedrazzi S, Mattarelli E, Savioli T, Morselli N, Puglia M, Tartarini P. (2017). Experimental investigation on a Common Rail Diesel engine partially fuelled by syngas. *Energy Conversion and Management* 138: 526-537. <https://doi.org/10.1016/j.enconman.2017.02.034>
- [27] Lal R. (2016). Biochar and soil carbon sequestration. In: *Agricultural and Environmental Application of Biochar: Advances and Barriers*. SSSA Special Publication 63, pp. 175-198. <https://doi.org/10.2136/sssaspecpub63.2014.0042.5>
- [28] Lehman J. (2007). A handful of carbon. *Nature* 447, pp. 143-144. <https://doi.org/10.1038/447143a>