

REFERENCES

- [1] European Commission. (2014). An introduction to EU Cohesion Policy 2014-2020. http://ec.europa.eu/regional_policy/en/policy/what/investment-policy/
- [2] European environment Agency (EEA). (2012). Climate change, impacts and vulnerability in Europe. An indicator-based report. Report n. 12/2012, TH-AL-12-012-EN-C. <https://www.eea.europa.eu/publications/climate-impacts-and-vulnerability-2012>
- [3] Lassandro P, Di Turi S. (2017). Façade retrofitting: from energy efficiency to climate change mitigation. *Energy Procedia* 140: 182–193. <https://doi.org/10.1016/j.egypro.2017.11.134>
- [4] Intergovernmental Panel on Climate Change (IPCC). (2014). Summary for policymakers in “Climate Change 2014: Impacts, Adaptation, and Vulnerability”. Working Group II contrib. to 5 Assessment report of the IPCC University Press, Cambridge, United Kingdom and New York, NY, USA: 1–32. <http://www.ipcc.ch/report/ar5/syr/>
- [5] Evola G, Martella L, Cimino D. (2018). Weather data morphing to improve building energy modeling in an urban context. *J Mathematical Modelling of Engineering Problems* 5(3): 211–216. <https://doi.org/10.18280/mmep.050312>
- [6] Akbari H, Cartalis C, Kolokotsa D, Muscio A, Pisello AL, Rossi F, Santamouris M, Synnefa A, Wong NH, Zinzi M. (2016). Local climate change and urban heat island mitigation techniques - the state of the art. *J Civ Eng Manag* 22: 1–16. <https://doi.org/10.3846/13923730.2015.1111934>
- [7] Martins TAL, Adolphe L, Bonhomme M, Bonneaud F, Faraut S, Ginestet S, Michel C, Guyard W. (2016). Impact of Urban Cool Island measures on outdoor climate and pedestrian comfort: Simulations for a new district of Toulouse, France. *Sustainable Cities and Society* 26: 9–26. <https://doi.org/10.1016/j.scs.2016.05.003>
- [8] Georgakis C, Zoras S, Santamouris M. (2014). Studying the effect of “cool” coatings in street urban canyons and its potential as a heat island mitigation technique. *Sustainable Cities and Society* 13: 20–31. <https://doi.org/10.1016/j.scs.2014.04.002>
- [9] Akbari H, Kolokotsa D. (2016). Three decades of urban heat islands and mitigation technologies research. *Energy and Buildings* 133: 834–852. <https://doi.org/10.1016/j.enbuild.2016.09.067>
- [10] Santamouris M, Synnefa A, Karlessi T. (2011). Using advanced cool materials in the urban built environment to mitigate heat islands and improve thermal comfort conditions. *Solar Energy* 85(12): 3085–3102. <https://doi.org/10.1016/j.solener.2010.12.023>
- [11] Wang Y, Akbari H. (2014). Effect of sky view factor on outdoor temperature and comfort in Montreal. *Environmental Engineering Science* 31(6): 272–287. <https://doi.org/10.1089/ees.2013.0430>
- [12] Wang Y, Akbari H, Chen B. (2016). Urban geometry and environmental urban policy development. *Procedia Engineering* 169: 308–315. <https://doi.org/10.1016/j.proeng.2016.10.038>
- [13] Morakinyo TE, Kalani KWD, Dahanayake C, Ng E. (2017). Temperature and cooling demand reduction by green-roof types in different climates and urban densities. A co-simulation parametric study. *Energy and Buildings* 145: 226–237. <https://doi.org/10.1016/j.enbuild.2017.03.066>
- [14] Ali-Toudert F, Mayer H. (2006). Numerical study on the effects of aspect ratio and orientation of an urban street canyon on outdoor thermal comfort in hot and dry climate. *Building and Environment* 41(2): 94–108. <https://doi.org/10.1016/j.buildenv.2005.01.013>
- [15] Saaty TL. (1980). *The Analytic Hierarchy Process*. McGraw-Hill, New York.
- [16] O’Malley C, Piroozfar P, Farr ERP, Pomponi F. (2015). Urban Heat Island (UHI) mitigating strategies: A case-based comparative analysis. *Sustainable Cities and Society* 19: 222–235. <https://doi.org/10.1016/j.scs.2015.05.009>
- [17] Huttner S, Bruse M. (2009). Numerical modelling of the urban climate - A preview on ENVI-met 4.0. The seventh International Conference on Urban Climate (ICUC-7), Yokohama, Japan.
- [18] Vijayaraghavan K. (2016). Green roofs: A critical review on the role of components, benefits, limitations and trends. *Renewable and Sustainable Energy Reviews* 57: 740–752. <https://doi.org/10.1016/j.rser.2015.12.11910>
- [19] Silva CM, Gomes MG, Silva M. (2016). Green roofs energy performance in Mediterranean climate. *Energy & Buildings* 116: 318–325. <https://doi.org/10.1016/j.enbuild.2016.01.012>
- [20] Jaafar B, Said I. (2013). Impact of vertical greenery system on internal building corridors in the tropic. *Procedia Social and Behavioral Sciences* 105: 558–568. <https://doi.org/10.1016/j.sbspro.2013.11.059>
- [21] Lobaccaro G, Acero JA. (2015). Comparative analysis of green actions to improve outdoor thermal comfort inside typical urban street canyons. *J. Urban Climate* 14 (Part 2): 251–267. <https://doi.org/10.1016/j.uclim.2015.10.002>
- [22] Lassandro P, Di Turi S. (2017). Energy efficiency and resilience against increasing temperatures in summer: The use of PCM and cool materials in buildings. *Int J of Heat and Technology* 35(Sp.1): S307–S315. <https://doi.org/10.18280/ijht.35Sp0142>
- [23] Thorsson S, Lindberg F, Eliasson I, Holmer B. (2007). Different methods for estimating the mean radiant temperature in an outdoor urban setting. *International Journal of Climatology* 27(14): 1983–1993.
- [24] Taleghani M, Kleerekoper L, Tenpierik M, van den Dobbelen A. (2015). Outdoor thermal comfort within five different urban forms in the Netherlands. *Building and Environment* 83: 65–78. <https://doi.org/10.1016/j.buildenv.2014.03.014>