









- routing algorithms estimation. *Advances in Modelling and Analysis D* 9(1): 41-54.
- [7] Nsayef SA, Mahmoud WA. (2004). Performance analysis of a proposed computer network. *Advances in Modelling and Analysis D* 9(2): 41-53.
- [8] Peer S.K. Sharma DK, Rivindranath K, Naidu MM. (2004). Message routing problem with traffic based scheduling in networks. *Advances in Modelling and Analysis D* 9(3): 1-14.
- [9] Beghdad R. (2004). A minimum-cost maximum-flows QoS routing protocol for multicast communication networks. *Advances in Modelling and Analysis D* 9(4): 41-52.
- [10] Beghdad R. (2005). Performances analysis of a LLC protocol of a home building network with mobile stations. *Advances in Modelling and Analysis D* 10(2): 19-30.
- [11] Pujeri RV, Sivanandam SN. (2005). Design and performance evaluation of ATM congestion control using neural networks. *Advances in Modelling and Analysis D* 10(3): 27-56.
- [12] Lewoc JB, Izworski A, Skowronski S. (2005). An approximate actual network performance evaluation method. *Advances in Modelling and Analysis D* 10(4): 1-12. <https://doi.org/10.1109/ISMS.2010.74>
- [13] Rahaman H, Das DK. (2005). Modelling ESOP networks for detecting multiple stock - at faults. *Advances in Modelling and Analysis D* 10(4): 25-36.
- [14] Wang K, Li X, Ji H. (2016). Modeling and optimizing the LTE discontinuou reception mechanism under self-similar traffic. *IEEE Transactions on Vehicular Technology* 65(7): 5595-5610.
- [15] Koc AT. (2014). Device power saving and latency optimization in LTE-A networks through DRX Configuration. *IEEE Transactions on Wireless Communications* 13(5): 2614-2625. <https://doi.org/10.1109/TWC.2014.031914.131298>
- [16] Yang SR, Yan SY, Hung HN. (2007). Modeling UMTS power saving with bursty packet data traffic. *IEEE Transaction, Mobile Comp.* 6(12): 1398-1409. <https://doi.org/10.1109/tmc.2007.1072>
- [17] Yangnd SR, Lin YB. (2005). Modeling of UMTS discontinuous reception mechanism. *IEEE Transaction. Wireless Comm.* 4(1): 312-319. <https://doi.org/10.1109/TWC.2004.840259>
- [18] Abeta S. (2010). Radio access network development department NTT DOCOMO, INC. Toward LTE Commercial Launch and Future Plan for LTE Enhancements, 146-150.
- [19] Sangkyu B, Choi BD. (2011). Analysis of discontinuous reception (DRX) with both downlink and uplink packet arrivals in 3GPP LTE. *Proceedings of the 6th International Conference on Queueing Theory and Network Applications* (4): 841-86. [10.1145/2021216.2021218](https://doi.org/10.1145/2021216.2021218)
- [20] Zhou KJ, Nikaen N, Spyropoulos T. (2012). LTE/LTE-a discontinuous reception modeling for machine type communications. *IEEE Wireless Communications Letters* 2(1): 102-105. <https://doi.org/10.1109/WCL.2012.120312.120615>
- [21] Aho K, Henttonen T, Puttonen J. (2011). User equipment energy efficiency verses LTE network performance. *IJAT* (3-4): 140-151.
- [22] Aho K, Henttonen T, Puttonen J. (2010). Trade-off between increased talk-time and LTE performance. *IEEE Computer Society*, 371-375.
- [23] Zhou L, Xu HB, Tian H, Gao YJ. (2008). Performance Analysis of power saving mechanism with adjustable DRX cycles in 3GPP LTE. 2008 IEEE 68th Vehicular Technology Conference. <https://doi.org/10.1109/VETECS.2008.312>
- [24] Bontu CS, Nortel EI. (2009). DRX mechanism for power saving in LTE. *IEEE Communications Magazine* 47(6): 48-55. <https://doi.org/10.1109/MCOM.2009.5116800>
- [25] Yu Y.P, Feng KT. (2012). Traffic-based DRX cycles adjustment scheme for 3GPP LTE systems. 2012 IEEE 75th Vehicular Technology Conference (VTC Spring). <https://doi.org/10.1109/VETECS.2012.6240136>