









- Nonlinear Analysis*, Vol. 56, pp. 919-935. DOI: [10.1016/J.NA.2003.10.020](https://doi.org/10.1016/J.NA.2003.10.020)
- [15] Fakoya M., van der Poll H. (2013). Integrating ERP and MFCA systems for improved waste-reduction decisions in a brewery in South Africa, *Journal of Cleaner Production*, Vol. 40, pp. 136-140. DOI: [10.1016/J.JCLEPRO.2012.09.013](https://doi.org/10.1016/J.JCLEPRO.2012.09.013)
- [16] Kasemset C., Chernsupornchai J., Pala-ud W. (2015). Application of MFCA in waste reduction: case study on a small textile factory in Thailand, *Journal of Cleaner Production*, Vol. 108, pp. 1342-1351. DOI: [10.1016/J.JCLEPRO.2014.09.071](https://doi.org/10.1016/J.JCLEPRO.2014.09.071)
- [17] Onishi Y., Kokubu K., Nakajima, M. (2008). Implementing material flow cost accounting in a pharmaceutical company, S. Schaltegger, M. Bennett, M. Burritt and C. Jasch, eds., *Environmental Management Accounting for Cleaner Production*, Springer, Netherlands, pp. 395-409.
- [18] Songkham A., Kasemset C. (2015). Application of MFCA and dynamic programming in operations improvement: a case study, *Industrial Engineering, Management Science and Applications*, Springer, Berlin Heidelberg, pp. 35-44.
- [19] Sygulla R., Götze U., Bierer A. (2014). Material flow cost accounting: A tool for designing economically and ecologically sustainable production processes, *Technology and Manufacturing Process Selection*, Springer, London, pp. 105-130.
- [20] Adesanya S.O. (2013). Linear stability analysis of a plane-Poiseuille hydromagnetic flow using Adomian decomposition method, *U.P.B. Sci. Bull., Series A*, Vol. 75, pp. 99-106.
- [21] Ireka I.E., T. Chinyoka (2013). Non-isothermal flow of a Johnson–Segalman liquid in a lubricated pipe with wall slip, *Journal of Non-Newtonian Fluid Mechanics*, Vol. 192, pp. 20-28. DOI: [10.1016/J.JNNFM.2012.11.001](https://doi.org/10.1016/J.JNNFM.2012.11.001)
- [22] Rashad A.M., Rashidi M.M., Lorenzini G., Ahmed S.E., Aly A.M. (2017). Magnetic field and internal heat generation effects on the free convection in a rectangular cavity filled with a porous medium saturated with Cu-Water nanofluid, *International Journal of Heat and Mass Transfer*, Vol. 104, pp. 878–889. DOI: [10.1016/j.ijheatmasstransfer.2016.08.025](https://doi.org/10.1016/j.ijheatmasstransfer.2016.08.025)
- [23] Singh J.K., Rohidas P., Joshi N., Begum S.G. (2017). Influence of Hall and ion-slip currents on unsteady MHD free convective flow of a rotating fluid past an oscillating vertical plate, *International Journal of Heat and Technology*, Vol. 35, No. 1, pp. 37-52. DOI: [10.18280/IJHT.350106](https://doi.org/10.18280/IJHT.350106).
- [24] Rajput G.R., Krishnaprasad J.S.V.R., Timol M.G. (2016). Group theoretic technique for MHD forced convection laminar boundary layer flow of nanofluid over a moving surface, *International Journal of Heat and Technology*, Vol. 34, No. 1, pp. 1-6. DOI: [10.18280/IJHT.340101](https://doi.org/10.18280/IJHT.340101).