

- Canada, *Earth Surface Processes and Landforms*, Vol. 29, No. 1, pp. 43-57. DOI: [10.1002/esp.1012](https://doi.org/10.1002/esp.1012)
- [27] Li W.B., Wu Y.M., Fu H.L., Zhang J.B. (2015). Long-term continuous in-situ monitoring of tunnel lining surface temperature in cold region and its application, *International Journal of Heat and Technology*, Vol. 33, No. 2, pp. 39-44. DOI: [10.18280/ijht.330206](https://doi.org/10.18280/ijht.330206)
- [28] Hale P.A. (2003). A laboratory investigation of the effects of cyclic heating and cooling, wetting and drying, and freezing and thawing on the compressive strength of selected sandstones, *Environmental & Engineering Geoscience*, Vol. 9, No. 2, pp. 117-130. DOI: [10.2113/9.2.117](https://doi.org/10.2113/9.2.117)
- [29] Chen J., Zheng Y., Yan J., Yan L. (2015). Influence on the navigation channel in Chongqing reach of the three gorges reservoir caused by reservoirs built upstream, *International Journal of Heat and Technology*, Vol. 33, No. 2, pp. 9-16. DOI: [10.18280/ijht.330202](https://doi.org/10.18280/ijht.330202)
- [30] Carpinteri A., Pugno N. (2002). A fractal comminution approach to evaluate the drilling energy dissipation, *International Journal for Numerical and Analytical Methods in Geomechanics*, Vol. 26, No. 5, pp. 499-513. DOI: [10.1002/nag.209](https://doi.org/10.1002/nag.209)
- [31] Chen X., Wang S.Z., Li L. (2012). Characteristics of fragments of jointed rock mass model under uniaxial compression, *Chinese Journal of Rock Mechanics and Engineering*, Vol. 31, No. 5, pp. 898-907 (in Chinese).
- [32] Carotenuto A., De Luca G., Fabozzi S., Figaj R.D., Iorio M., Massarotti N., Vanoli L. (2016). Energy analysis of a small geothermal district heating system in southern Italy, *International Journal of Heat and Technology*, Vol. 34, Special Issue 2, pp. S519-S527. DOI: [10.18280/ijht.34Sp0246](https://doi.org/10.18280/ijht.34Sp0246)
- [33] Liuzzi S., Stefanizzi P. (2016). Experimental study on hygrothermal performances of indoor covering materials, *International Journal of Heat and Technology*, Vol. 34, Special Issue 2, pp. S365-S370. DOI: [10.18280/ijht.34Sp0225](https://doi.org/10.18280/ijht.34Sp0225)
- [34] Holland C.T. (1956). Mineral content, a factor in weathering of mine roof, *Mining Congress Journal*, pp. 49-54.
- [35] Weiss T., Siegesmund S., Kirchner D., Sippel J. (2004). Insolation weathering and hygric dilatation: two competitive factors in stone degradation, *Environmental Geology*, Vol. 46, No. 3-4, pp. 402-413. DOI: [10.1007/s00254-004-1041-0](https://doi.org/10.1007/s00254-004-1041-0)
- [36] Mukhopadhyay N. (2016). Heat conduction model development of a cold storage using EPS insulation, *Modelling, Measurement and Control B*, Vol. 85, No. 1, pp. 18-27.
- [37] Nayak M.K. (2016). Steady MHD flow and heat transfer on a stretched vertical permeable surface in presence of heat generation/absorption, thermal radiation and chemical reaction, *Modelling, Measurement and Control B*, Vol. 85, No. 1, pp. 91-104.
- [38] Sorokin V.G., Vyazmin A., Zhurov A.I., Reznik V., Polyaniy A.D., (2017), The heat and mass transfer modeling with time delay, *Chemical Engineering Transactions*, Vol.57, pp. 1465-1470. DOI: [10.3303/CET1757245](https://doi.org/10.3303/CET1757245)
- [39] Fu C., Uv P.M., Nygreen B., Gundersen T. (2017). Compression and Expansion at the Right Pinch Temperature, *Chemical Engineering Transactions*, Vol. 56, pp. 1939-1944. DOI: [10.3303/CET1756324](https://doi.org/10.3303/CET1756324)
- [40] Zhang D., Chen A.Q., Xiong D.H., Liu G.C. (2013). Effect of moisture and temperature conditions on the decay rate of a purple mudstone in southwestern China, *Geomorphology*, Vol. 182, pp. 125-132. DOI: [10.1016/j.geomorph.2012.11.003](https://doi.org/10.1016/j.geomorph.2012.11.003)
- [41] Zhang D., Chen A., Wang X., Liu G. (2015). Quantitative determination of the effect of temperature on mudstone decay during wet-dry cycles: a case study of 'purple mudstone' from south-western China, *Geomorphology*, Vol. 246, pp. 1-6. DOI: [10.1016/j.geomorph.2015.06.011](https://doi.org/10.1016/j.geomorph.2015.06.011)
- [42] Phienweij N. (1987). *Ground Response and Support Performance in a Sheared Shale, Stillwater Tunnel*, Dissertation, University of Illinois, pp 59-62.
- [43] Eeckhout E.M.V. (1976). The mechanisms of strength reduction due to moisture in coal mine shales, *International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts*, Vol. 13, No. 2, pp. 61-67. DOI: [10.1016/0148-9062\(76\)90705-1](https://doi.org/10.1016/0148-9062(76)90705-1)
- [44] Silva M.R.D., Schroeder C., Verbrugge J.C. (2008). Unsaturated rock mechanics applied to a low-porosity shale, *Engineering Geology*, Vol. 97, No. 1, pp. 42-52.
- [45] Erguler Z.A., Ulusay R. (2009). Water-induced variations in mechanical properties of clay-bearing rocks, *International Journal of Rock Mechanics & Mining Sciences*, Vol. 46, No. 2, pp. 355-370. DOI: [10.1016/j.ijrmms.2008.07.002](https://doi.org/10.1016/j.ijrmms.2008.07.002)
- [46] Liu W.P., Luo X.Y. (2016). Elastoplastic analysis of circular tunnel using nonlinear improvement of unified strength theory, *Modelling, Measurement and Control B*, Vol. 85, No. 1, pp. 163-174.