













- <https://doi.org/10.2118/56752-MS>
- [11] Williams ET, Kikani J. (1990). Pressure transient analysis of horizontal wells in a naturally fractured reservoir. SPE Annual Technical Conference and Exhibition. <https://doi.org/10.2118/20612-MS>
- [12] Carvalho RSD, Rosa AJ. (1988). Transient pressure behavior for horizontal wells in naturally fractured reservoir. SPE Annual Technical Conference and Exhibition. <https://doi.org/10.2118/18302-MS>
- [13] Yin GF, Xu HM, Ye SJ, Li YR, Qiu JP. (2011). Productivity evaluation model for infill horizontal well in horizontal injection and production pattern. Journal of China University of Petroleum (Edition of Natural Science) 35(4): 93-97.
- <https://doi.org/10.3969/j.issn.1673-5005.2011.04.017>
- [14] Lutz JF, Kemper WD. (1959). Intrinsic permeability of clay as affected by clay-water interaction. Soil Science 88(2): 83-90. <https://doi.org/10.1097/00010694-195988020-00005>
- [15] Miller RJ, Low PF. (1963). Threshold gradient for water flow in clay systems. Soil Science Society of America Proceedings 27(6): 605-609. <https://doi.org/10.2136/sssaj1963.03615995002700060013x>
- [16] Samaniego VF, Cinco LH. (1980). Production rate decline in pressure-sensitive reservoirs. JCPT 19(3): 75-86. <https://doi.org/10.2118/80-03-03>