

- [http://doi.org/10.1016/S0378-3820\(97\)00059-3](http://doi.org/10.1016/S0378-3820(97)00059-3)
- [32] Ryu C, Yang YB, Khor A, Yates NE, Sharifi VN, Swithenbank J. (2006). Effect of fuel properties on biomass combustion: Part I. Experiments-fuel type, equivalence ratio and particle size. *Fuel* 85(7-8): 1039-1046. <http://doi.org/10.1016/j.fuel.2005.09.019>
- [33] Porteiro J, Patino D, Collazo J, Granada E, Moran J, Miguez JL. (2010). Experimental analysis of the ignition front propagation of several biomass fuels in a fixed-bed combustor. *Fuel* 89(1): 26-35. <http://doi.org/10.1016/j.fuel.2009.01.024>
- [34] Yang YB, Ryu C, Khor A, Sharifi VN, Swithenbank J. (2005). Fuel size effect on pinewood combustion in a packed bed. *Fuel* 84(16): 2026-2038. <http://doi.org/10.1016/j.fuel.2005.04.022>
- [35] Khor A, Ryu C, Yang YB, Sharifi VN, Swithenbank J. (2007). Straw combustion in a fixed bed combustor. *Fuel* 86(1-2): 152-160. <http://doi.org/10.1016/j.fuel.2006.07.006>
- [36] Lou JC, Huang CC, Yang TL. (1999). Effect of excess air on combustion efficiency and emissions from incineration of municipal solid waste. *Journal of the Chinese Institute of Environmental Engineering* 9(4): 219-227.