



















- Application of computational intelligence technique for estimating superconducting transition temperature of YBCO superconductors. *Appl. Soft Comput* 43(2016): 143–149
- [27] Akande KO, Owolabi TO, Olatunji SO. (2014). Estimation of superconducting transition temperature  $T_c$  for superconductors of the doped MgB<sub>2</sub> system from the crystal lattice parameters using support vector regression. *J. Supercond. Nov. Magn.* <http://dx.doi.org/10.1007/s10948-014-2891-7>
- [28] Cai CZ, Wang GL, Wen YF, Pei JF, Zhu XJ, Zhuang WP. (2010). Superconducting transition temperature  $T_c$  estimation for superconductors of the doped mgb<sub>2</sub> system using topological index via support vector regression. *J. Supercond. Nov. Magn* 23(5): 745–748, Jan. 2010. <http://dx.doi.org/10.1007/s10948-010-0727-7>
- [29] Owolabi TO, Akande KO, Olatunji SO. (2015). Development and validation of surface energies estimator (SEE) using computational intelligence technique. *Comput. Mater. Sci.* 101: 143–151. <http://dx.doi.org/10.1016/j.commatsci.2015.01.020>
- [30] Owolabi TO, Akande KO, Olatunji SO. (2015). Estimation of surface energies of hexagonal close packed metals using computational intelligence technique. *Appl. Soft Comput.* 31: 360–368. <http://dx.doi.org/10.1016/j.asoc.2015.03.009>
- [31] Owolabi TO, Akande KO, Sunday OO. (2015). Modeling of average surface energy estimator using computational intelligence technique. *Multidiscip. Model. Mater. Struct* 11(2): 284–296.
- [32] Owolabi TO, Akande KO, Olatunji SO, Alqahtani A, Aldhafferri N. (2016). Estimation of curie temperature of manganite-based materials for magnetic refrigeration application using hybrid gravitational based support vector regression. *AIP Adv* 6(10): 105009. <http://dx.doi.org/10.1063/1.4966043>
- [33] Rashedi E, Nezamabadi-pour H, Saryazdi S. (2009). GSA: A gravitational search algorithm. *Inf. Sci. (Ny)*, 179(13): 2232–2248. <http://dx.doi.org/10.1016/j.ins.2009.03.004>
- [34] Niu P, Liu C, Li P. (2015). Optimized support vector regression model by improved gravitational search algorithm for flatness pattern recognition. *Neural Comput. Appl.* 2015:1167–1177
- [35] Ju FY, Hong WC. (2013). Application of seasonal SVR with chaotic gravitational search algorithm in electricity forecasting. *Appl. Math. Model* 37(23): 9643–9651. <http://dx.doi.org/10.1016/j.apm.2013.05.016>
- [36] Owolabi TO, Akande KO, Olatunji SO, Alqahtani A, Aldhafferri N. (2017). Modeling energy band gap of doped TiO<sub>2</sub> semiconductor using homogeneously hybridized support vector regression with gravitational search algorithm hyper-parameter optimization, *AIP Adv* 115225, <http://dx.doi.org/10.1063/1.5009693>
- [37] Owolabi TO, Zakariya YF, Akande KO, Olatunji SO. (2016). Estimation of melting points of fatty acids using homogeneously 3 hybridized support vector regression. *Neural Comput. Appl.*, 2016
- [38] Owolabi TO, Akande KO, Olatunji SO, Alqahtani A. (2016). A novel homogenous hybridization scheme for performance improvement of support vector machines regression in reservoir characterization. *Appl. Comput. Intell. Soft Comput* 2016: 1–10. <http://dx.doi.org/10.1155/2016/2580169>
- [39] Drucker H, Burges CJC, Kaufman L, Smola AJ, Vapnik VN. (1996). Support vector regression machines. *Adv. Neural Inf. Process. Syst* 9.
- [40] Basak D, Pal S, Patranabis DC. (2007). Support Vector Regression, *Neural Inf. Process.* – Lett. Rev 11(2007).
- [41] Vapnik VN. (1995). The nature of statistical learning theory. Springer-Verlag New York, Inc. <http://dx.doi.org/10.1007/978-1-4757-3264-1>
- [42] Owolabi TO, Akande KO, Olatunji SO. (2016). Computational intelligence method of estimating solid-liquid interfacial energy of materials at their melting temperatures. *J. Intell. fuzzy Syst* 31: 519–527. <http://dx.doi.org/10.3233/IFS-162164>
- [43] Thenmozhi M, Sarath Chand G. (2016). Forecasting stock returns based on information transmission across global markets using support vector machines. *Neural Comput. Appl* 27: 805–824. <http://dx.doi.org/10.1007/s00521-015-1897-9>
- [44] Verma AS, Singh RK, Rathi SK. (2009). An empirical model for dielectric constant and electronic polarizability of binary (ANB<sub>8</sub>-N) and ternary (ANB<sub>2</sub>+NC<sub>27</sub>-N) tetrahedral semiconductors. *J. Alloys Compd* 486(1-2): 795–800. <http://dx.doi.org/10.1016/j.jallcom.2009.07.067>
- [45] Manukonda D, Srinivasa RG. (2018). A fuzzy logic controller based vortex wind turbine for commercial applications. *Modelling, Measurement and Control A* 91(2): 54-58. [http://dx.doi.org/10.18280/mmc\\_a.910204](http://dx.doi.org/10.18280/mmc_a.910204)
- [46] Mehta D, Prasanta K, Anandita C. (2018). Development of energy efficient, cost-optimized transformer with low partial discharges. *Modelling, Measurement and Control A* 91(2): 59-65. [https://doi.org/10.18280/mmc\\_a.910205](https://doi.org/10.18280/mmc_a.910205)
- [47] Samala RK, Mercy RK. (2018). Optimal DG sizing and siting in radial system using hybridization of GSA and firefly algorithms. *Modelling, Measurement and Control A* 91(2): 77-82. [https://doi.org/10.18280/mmc\\_a.910208](https://doi.org/10.18280/mmc_a.910208)