

- variational iteration technique. Appl. Math. Sci. [hikari.com/ams/ams-2012/ams-93-96-2012/siddiqiAMS93-96-2012-2.pdf](http://www.hikari.com/ams/ams-2012/ams-93-96-2012/siddiqiAMS93-96-2012-2.pdf).
- [17] Ghazala A. and Hamood R. (2014) "Numerical solution of seventh order boundary value problems using the reproducing kernel space," *Resea. J. Appl. Sci. Eng. Tech.*[Online]. 7, pp. 892–896, <http://www.maxwellsci.com/print/rjaset/v7-892-896.pdf>.
- [18] Majak J., Shvartsman B. S., Kirs M., Pohlak M. and Herranen H., "Convergence theorem for the Haar wavelet discretization method," *Composite Structures*, vol. 126, pp. 227–232, 2015, DOI:10.1016/j.compstruct.2015.02.050.
- [19] Majak J., Shvartsman B., Karjust K., Mikola M., Haavajoe A. and Pohlak M., "On the accuracy of the Haar wavelet discretization method," *Composites part B*, vol. 80, pp. 321–327, 2015, DOI:10.1016/j.compositesb.2015.06.008.
- [20] Siddiqi S. S. and Muzammal I. (2013). "Solution of seventh order boundary value problems using Adomian decomposition method," <http://www.m-hikari.com/ams/ams-2012/ams-93-96-2012/siddiqiAMS93-96-2012-2.pdf>.
- [21] Kasi viswanadham K. N. S. and Reddy S. M., "Numerical solution of seventh order boundary value problems by petrov-galerkin method with quintic B-splines as basis functions and septic B-splines as weight functions," *Int. Jl. Comp. Appl.*, vol. 122, pp. 0975–8887, 2015, DOI: 10.5120/21700-4811.
- [22] Bellman R. E. and Kabala R. E., "Quasilinearization and nonlinear boundary value problems," Amer. New York: Elsevier, 1965.
- [23] Siddiqi S. S. and Muzammal I. (2013) "Use of Homotopy perturbation method for solving multipoint boundary value problems," <http://arxiv.org/abs/1301.2909>.