









- [6] Li S. H, Yang S. P. and Li H. Y., "Investigation on semi-active controlled vehicle suspension based on ADAMS-MATLAB co-simulation," *Journal of System Simulation*, vol. 19, no. 10, pp. 2304-2307, 2007.
- [7] Xie Y. D. and Chang W. S., "Electromagnetic (EMS) modeling and simulation of maglev system plumb direction," *Journrnal of the China Railway Society*, no. 4, pp. 38-47, 1996.
- [8] X.F. Hao, "Research on the H controller synthesis for maglev suspension system," *Journal of Southwest Jiaotong University*, vol. 7, no. 1, pp. 1-8, 1999.
- [9] K. Popp, "Mathematical modeling and control system design of maglev vehicle," vol. 78, pp. 333-364.
- [10] Sun Y. G., Qiang H. Y., Lin G. B., Ren J. D. and Li W. L., "Dynamic modeling and control of nonlinear electromagnetic suspension systems," *Chemical Engineering Transactions*, vol. 46, pp. 1039-1044, 2015. DOI: [10.3303/CET1546174](https://doi.org/10.3303/CET1546174).
- [11] Sun Yougang, Li Wanli, Dong Dashan, Mei Xiao and Qiang Haiyan, "Dynamics analysis and active control of a floating crane," *Tehnicki Vjesnik-Technical Gazette*, vol. 22, no. 6, pp. 1383-1391, 2015.
- [12] Sun Yougang, Li Wanli and Qiang Haiyan, "An experimental study on the vibration of the low-speed maglev train moving on the guideway with sag vertical Curves," *International Journal of Control and Automation*, vol. 9, no. 4, pp. 279-288, 2016.