









- Normal University*, pp. 15-21, DOI: [10.7666/d.y2149207](https://doi.org/10.7666/d.y2149207)
- [2] Zhou G.X., Yang Z.Y., Xie S.L. (2011). Mixing matrix estimation from sparse mixtures with unknown number of sources, *IEEE Transactions on Neural Networks*, Vol. 22, No. 2, pp. 211-221. DOI: [10.1109/TNN.2010.2091427](https://doi.org/10.1109/TNN.2010.2091427)
- [3] Cao Y.P. (2012). Speech enhancement algorithm based on the signal subspace, *Electronic Test*, Vol. 6, pp. 54-57.
- [4] Zhou J. (2016). Research of underdetermined source estimation and blind extraction method for mechanical fault signals, *Doctoral dissertation of Kunming University*, pp. 38-45.
- [5] Yang P. (2008). Blind source separation study on the aero engine aliasing vibration signal, *Master dissertation of Nanjing University of Aeronautics and Astronautics*, pp. 13-15. DOI: [10.7666/d.d053213](https://doi.org/10.7666/d.d053213)
- [6] Guo W., Yu F.Q. (2015). Improved speech music signal separation based on negative entropy maximization, *Computer Engineering and Application*, Vol. 51, No. 4, pp. 209-212.
- [7] Lu J.T., Cheng W. (2015). Adaptive blind source separation algorithm in a changed or equivariant step, *Journal of Xi'an Jiaotong University*, Vol. 49, No. 12, pp. 83-89. DOI: [10.7652/xjtub201512014](https://doi.org/10.7652/xjtub201512014)
- [8] Zhang Y.Y., Xin J.H., Liu G.B. (2016). Applications of combined with cumulant slice joint diagonalization of blind source separation, *Journal of Huazhong University of Science and Technology (Natural Science)*, Vol. 44, No. 7, pp. 86-90. DOI: [10.13245/j.hust.160717](https://doi.org/10.13245/j.hust.160717)
- [9] Dermoune A., Wei T. (2013). Fast ICA algorithm: five criteria for the optimal choice of the nonlinearity function, *IEEE Transactions on Signal Processing*, Vol. 61, No. 8, pp. 2078-2087. DOI: [10.1109/TSP.2013.2243440](https://doi.org/10.1109/TSP.2013.2243440)
- [10] Chen G.Q. (2015). Blind source separation algorithm based on kurtosis cumulant proportional differential control vector, *Journal of Electronics*, Vol. 12, No. 5, pp. 929-934. DOI: [10.3969/j.issn.0372-2112.2015.05.015](https://doi.org/10.3969/j.issn.0372-2112.2015.05.015)
- [11] Yang J.M., Qi H.Y. (2015). Improved nonlinear blind source separation algorithm based on the minimization of mutual information, *Electric Measurement and Instrument*, Vol. 52, No. 9, pp. 66-69. DOI: [10.3969/j.issn.1001-1390.2015.09.013](https://doi.org/10.3969/j.issn.1001-1390.2015.09.013)