

REFERENCES

- [1] Liu Yan-Min, Wu Yong-Jun, Wang Ya-Juan, et al., "Volatile Flavor Components Analysis of Fried Pepper Sauce in Guizhou Province," *Food Science*, vol. 34, no. 20, pp. 115-120, 2013. DOI: [10.7506/spkx1002-6630-201320047](https://doi.org/10.7506/spkx1002-6630-201320047).
- [2] Dohi N., Takahashi T., Minekawa K., et al. "Power consumption and solid suspension performance of large-scale impellers in gas-liquid-solid three-phase stirred tank reactors," *Chemical Engineering Journal*, vol. 97, no. 2-3, pp. 103-114, 2009. DOI: [10.1016/S1385-8947\(03\)00148-7](https://doi.org/10.1016/S1385-8947(03)00148-7).
- [3] Ochieng A., Onyango M. S., "CFD simulation of solids suspension in stirred tanks: Review," *Hem Ind*, vol. 64, no. 5, pp. 365-374, 2010. DOI: [10.2298/HEMIND100714051O](https://doi.org/10.2298/HEMIND100714051O).
- [4] Montante G. and Magelli F., "Modelling of solids distribution in stirred tanks: Analysis of simulation strategies and comparison with experimental data," *International Journal of Computational Fluid Dynamics*, vol. 19, no. 3, pp. 253-262, 2005. DOI: [10.1080/10618560500081795](https://doi.org/10.1080/10618560500081795).
- [5] Giuseppina M., Alessandro P. and Franco M., "Analysis of dilute solid-liquid suspensions in turbulent stirred tanks," *Chemical Engineering Research and Design*, no. 1, pp. 1-9, 2012. DOI: [10.1016/j.cherd.2012.01.009](https://doi.org/10.1016/j.cherd.2012.01.009).
- [6] E. Dotsika, D. Poutoukis and B. Raeo. "Stable isotope composition of Hellenic bottled Water". *Journal of Geochemical Exploration*, vol. 107, pp. 299-304, 2010. DOI: [10.1016/j.gexplo.2010.07.002](https://doi.org/10.1016/j.gexplo.2010.07.002).
- [7] Guanghui Liu, Weidong Cao, Yue Li, et al., "Study on solid-liquid two-phase unsteady flow in multistage pump," *Fluid Machinery and Fluid Engineering*, 2014 ISFMFE - 6th International Symposium on, 2014, pp. 1-8. DOI: [10.1049/cp.2014.1244](https://doi.org/10.1049/cp.2014.1244).
- [8] Huang Zhonghua, Cao Yue and Xie Ya, "Polymetallic Sulfide Particle Hydraulic Lifting Performance Simulation," *Intelligent Computation Technology and Automation (ICICTA)*, pp. 423 - 427, 2014. DOI: [10.1109/ICICTA.2014.108](https://doi.org/10.1109/ICICTA.2014.108).
- [9] Alexander Ledkov and Songjing Li, "Flow forces acting on particles in the flow in a well and slotted filter," *Fluid Power and Mechatronics (FPM)*, pp. 283 - 288, 2015. DOI: [10.1109/FPM.2015.7337126](https://doi.org/10.1109/FPM.2015.7337126).
- [10] Hee Cheen No.. "On Soo's equations in multidomain multiphase fluid mechanics" . *Int. J. Multiphase Flow*, vol. 8, pp. 297-299, 1982. DOI: [10.1016/0301-9322\(82\)90039-8](https://doi.org/10.1016/0301-9322(82)90039-8).
- [11] Kaempfer Th U. and Rappaz M., "Welding and Advanced Solidification Processes," In: Sahn P. R., ed., *Proc 9th CoIV on Modeling of Casting*, Aachen, TMS, 2000, pp. 640. DOI: [10.1049/cp.2014.1156](https://doi.org/10.1049/cp.2014.1156).
- [12] Chen Zhao, Huang Yong, Jiang Jun and Wang Jun. "Heat Transfer Characteristics of a Solid-Liquid Mixture Rotation Baffle Heat Exchanger," *2012 Asia-Pacific Power and Energy Engineering Conference*, 2012, pp. 1-6. DOI: [10.1109/APPEEC.2012.6307040](https://doi.org/10.1109/APPEEC.2012.6307040).
- [13] Alexander Ledkov and Songjing Li, "Flow forces acting on particles in the flow in a well and slotted filter." *Fluid Power and Mechatronics (FPM)*, pp. 283 - 288, 2014. DOI: [10.1109/FPM.2015.7337126](https://doi.org/10.1109/FPM.2015.7337126).
- [14] Iraj Zandi, *Advances in Solid-Liquid Flow in Pipes and Its Application*, Pergamon Press Inc., 2013. DOI: [10.1109/ICMA.2009.5246584](https://doi.org/10.1109/ICMA.2009.5246584).
- [15] Pascal Clausen, Martin Wicke, et al., "Simulating liquids and solid-liquid interactions with Lagrangian meshes." *ACM Transactions on Graphics*, 2014, pp. 121-132. DOI: [10.1145/2451236.2451243](https://doi.org/10.1145/2451236.2451243).
- [16] R. K. Sharma, P. Ganesan, et al., "Developments in organic solid-liquid phase change materials and their applications in thermal energy storage," *Energy Conversion and Management*, vol. 3, no. 95, pp. 193-228, 2015. DOI: [10.1016/j.enconman.2015.01.084](https://doi.org/10.1016/j.enconman.2015.01.084).
- [17] Fluent Inc., *FLUENT User's Guide*, Fluent Inc., 2003.
- [18] Yuan Shouqi, Zhang Peifang, Zhang Jinfeng, et al., "Numerical simulation of 3-d dense solid-liquid two-phase turbulent flow in a nonclogging mud pump," *Chinese Journal of Mechanical Engineering*, vol. 17, no. 4, pp. 623-627, 2004.
- [19] Rudolf S., "Numerical simulation of the two-phase flow in centrifugal pump impellers," *ASME Journal Fluids Engineering*, vol. 123, no. 1, pp. 1-6, 2001. DOI: [10.1115/FEEDSM2002-31193](https://doi.org/10.1115/FEEDSM2002-31193).
- [20] Shum Y. K. E., Tan C. S. and Cumpsty N. A., "Impeller-diffuser interaction in a centrifugal compressor," *Journal of Turbomachinery*, vol. 122, no. 4, pp.777-786, 2000. DOI: [10.1115/2000-GT-0428](https://doi.org/10.1115/2000-GT-0428).
- [21] Zhao Binjuan, Yuan Shouqi, Liu Houlin, et al., "Three-dimensional coupled impeller-volute simulation of flow in a centrifugal pump and performance prediction," *Chinese Journal of Mechanical Engineering*, vol. 19, no. 1, pp. 59-62, 2006.
- [22] Wei Han, Ting Yue, Rennian Li, et al., "The numerical study of transient flow in rotor and stator cascades of solid-liquid two-phase flow," *Fluid Machinery and Fluid Engineering*, pp. 1-5, 2014. DOI: [10.1049/cp.2014.1156](https://doi.org/10.1049/cp.2014.1156).