









## REFERENCES

- [1] Mirandola A., Lorenzini E. (2016). Energy, environment and climate: from the past to the future, *International Journal of Heat and Technology*, Vol. 34, No. 2, pp. 159-164. DOI: [10.18280/ijht.340201](https://doi.org/10.18280/ijht.340201)
- [2] Zhu K. (2004). The problem and countermeasure of gas comprehensive utilization in Chinese coal mine, *Journal of North China Institute of Science and Technology*, Vol. 1, No. 1, pp. 28-30.
- [3] Li X.H., Lu Y.Y., Zhao Y., et al. (2008). Study on improving the permeability of soft coal seam with high pressure pulsed water jet, *Journal of China Coal Society*, Vol. 33, No. 12, pp. 1386-1390. DOI: [10.13225/j.cnki.jccs.2008.12.021](https://doi.org/10.13225/j.cnki.jccs.2008.12.021)
- [4] Xia B.W., Zhao B.Q., Lu Y.Y., et al. (2016). Drainage radius after high pressure water jet slotting based on methane flow field, *International Journal of Heat and Technology*, Vol. 34, No. 3, pp. 507-512. DOI: [10.18280/ijht.340323](https://doi.org/10.18280/ijht.340323)
- [5] Liu Y., Lu Y.Y., Wei J.P., et al. (2013). A novel method for decreasing coal seam fracture initiation pressure, *China Safety Science Journal*, Vol. 23, No. 9, pp. 96-100. DOI: [10.16265/j.cnki.issn1003-3033.2013.09.013](https://doi.org/10.16265/j.cnki.issn1003-3033.2013.09.013)
- [6] Lin B.Q., Lu Y.C., Li B.Y., et al. (2007). High-pressure abrasive hydraulic cutting seam technology and its application in outbursts prevention, *J of China Coal Society*, Vol. 32, No. 9, pp. 956-963. DOI: [10.13225/j.cnki.jccs.2007.09.014](https://doi.org/10.13225/j.cnki.jccs.2007.09.014)
- [7] Fu J.W., Wang G.Z., Li P., et al. (2016). Research on technique for gas drainage based on roof hydraulic fracturing, *China Safety Science Journal*, Vol. 26, No. 1, pp. 109-115. DOI: [10.16265/j.cnki.issn1003-3033.2016.01.019](https://doi.org/10.16265/j.cnki.issn1003-3033.2016.01.019)
- [8] Song W.Y., Wang Z.F., Tang J.P. (2011). Principle of gas extraction by increasing permeability of coal seam with hydraulic cutting and its application, *China Safety Science Journal*, Vol. 21, No. 4, pp. 78-82. DOI: [10.16265/j.cnki.issn1003-3033.2011.04.014](https://doi.org/10.16265/j.cnki.issn1003-3033.2011.04.014)
- [9] Zhang G.H., Liu X.X., Bi Y.W., et al. (2011). Experimental study of water effects on gas desorption during high pressure water injection, *China Safety Science Journal*, Vol. 21, No. 3, pp. 101-105. DOI: [10.16265/j.cnki.issn1003-3033.2011.04.014](https://doi.org/10.16265/j.cnki.issn1003-3033.2011.04.014)
- [10] Zhao D., Zhao Y.S., Feng Z.C. (2011). Analysis of effect of water injection on methane desorption in coal combining pore structure, *Chinese Journal of Rock Mechanics and Engineering*, Vol. 30, No. 4, pp. 686-692.
- [11] Wang Z.F., Zhou D.C., Li H.J., et al. (2016). Research on secondary fracturing technology by phase transformation of liquid CO<sub>2</sub>, *Journal of Henan Polytechnic University (Natural Science)*, Vol. 35, No. 5, pp. 597-600. DOI: [10.16186/j.cnki.1673-9787.2016.05.001](https://doi.org/10.16186/j.cnki.1673-9787.2016.05.001)
- [12] Huang F., Lu Y.Y., Tang J.R., et al. (2015). On the erosion of shale impacted by supercritical carbon dioxide jet, *Chinese Journal of Rock Mechanics and Engineering*, Vol. 34, No. 4, pp. 787-794. DOI: [10.13722/j.cnki.jrme.2015.04.016](https://doi.org/10.13722/j.cnki.jrme.2015.04.016)
- [13] Zhao Y.H., Tan B.M., Niu X.H., et al. (2014). Effects of different abrasives on the sapphire CMP, *Processing, Measurement and Equipment*, Vol. 51, No. 2, pp. 120-125, DOI: [10.13250/j.cnki.wndz.2014.02.010](https://doi.org/10.13250/j.cnki.wndz.2014.02.010)
- [14] Xiong W., Chu X.F., Dong Y.P., et al. (2013). Effect of different abrasives on sapphire chemical-mechanical polishing, *Journal of Synthetic Crystals*, Vol. 42, No. 6, pp. 1064-1069. DOI: [10.16553/j.cnki.issn1000-985x.2013.06.014](https://doi.org/10.16553/j.cnki.issn1000-985x.2013.06.014)
- [15] Sun Z.B., Liu Y.L., Liu X.Y., et al. (2010). Influence of SiO<sub>2</sub>/CeO<sub>2</sub> abrasive on glass-ceramics CMP, *Process Technique and Materials*, Vol. 35, No. 1, pp. 72-74, DOI: [10.3969/j.issn.1003-353x.2010.01.017](https://doi.org/10.3969/j.issn.1003-353x.2010.01.017)