

- oblate primaries. *Astrophysics and Space Science*, 341(2): 349-358. <https://doi.org/10.1007/s10509-012-1109-3>
- [13] Conxita, P. (1995). Ejection collision orbits with the more massive primary in the planar elliptic restricted three body problem. *Celestial Mechanics and Dynamical Astronomy*, 61(4): 315-331. <https://doi.org/10.1007/BF00049513>
- [14] Hallan, P., Rana, N. (2001). The existence and stability of equilibrium points in the Robe's restricted three body problem. *Celestial Mechanics and Dynamical Astronomy*, 79(2): 145-155. <https://doi.org/10.1023/A:1011173320720>
- [15] Şelaru, D., Cucu-Dumitrescu, C. (1995). Infinitesimal orbit around Lagrange points in the elliptic restricted three body problem. *Celestial Mechanics and Dynamical Astronomy*, 61(4): 333-346. <https://doi.org/10.1007/BF00049514>
- [16] Şelaru, D., Cucu-Dumitrescu, C. (1994). An analytic asymptotical solution in the three body problem. *Romanian Astronomical Journal*, 4(1): 59-67.
- [17] Floria, L. (2004). On an analytical solution in the planar elliptical restricted three body problem. *Monografsem. Mat. Garacia de Galdeano*, 31: 135-144.
- [18] Subba Rao, P.V., Sharma, R.K. (1996). Effect of oblateness on the non-linear stability of L_4 in the restricted three body problem. *Celestial Mechanics and Dynamical Astronomy*, 65(3): 291-312. <https://doi.org/10.1007/BF00053510>
- [19] Markeev, A.P. (1978). Libration points in celestial mechanics and astro dynamics. *Moscow Izdate Nauka*, 1: 1.