











the multi-objective problem of the ATD in urban transit system, and outperform the traditional optimization algorithms like the PSO and the CS.

## REFERENCES

- [1] Stead, A.L. (2013). Automatic train control. *Electrical Engineering*, 194(2): 133-163.
- [2] Yang, X., Li, X., Ning, B., Tang, T. (2016). A survey on energy-efficient train operation for urban rail transit. *IEEE Transactions on Intelligent Transportation Systems*, 17(1): 2-13. <https://doi.org/10.1109/TITS.2015.2447507>
- [3] Larue, G.S., Wullems, C. (2015). Driving simulator evaluation of the failure of an audio in-vehicle warning for railway level crossings. *Urban Rail Transit*, 1(3): 139-148. <https://doi.org/10.1007/s40864-015-0018-5>
- [4] Shen, W., Xiao, W., Wang, X. (2016). Passenger satisfaction evaluation model for Urban rail transit: A structural equation modeling based on partial least squares. *Transport Policy*, 46: 20-31. <https://doi.org/10.1016/j.tranpol.2015.10.006>
- [5] Cao, Y., Ma, L., Zhang, Y. (2018). Application of fuzzy predictive control technology in automatic train operation. *Cluster Computing*, (1): 1-10. <https://doi.org/10.1007/s10586-018-2258-0>
- [6] Masoomi, Z., Mesgari, S.M., Hamrah, M. (2013). Allocation of urban land uses by multi-objective particle swarm optimization algorithm. *International Journal of Geographical Information Science Ijgis*, 27(3): 542-566. <https://doi.org/10.1080/13658816.2012.698016>
- [7] Marusak, P.M. (2009). Advantages of an easy to design fuzzy predictive algorithm in control systems of nonlinear chemical reactors. *Applied Soft Computing*, 9(3): 1111-1125. <https://doi.org/10.1016/j.asoc.2009.02.013>
- [8] Sun, G., Bin, S. (2017). Router-level internet topology evolution model based on multi-subnet composited complex network model. *Journal of Internet Technology*, 18(6): 1275-1283. <https://doi.org/10.6138/JIT.2017.18.6.20140617>
- [9] Zeng, Y.R., Peng, L., Zhang, J., Wang, L. (2016). An effective hybrid differential evolution algorithm incorporating simulated annealing for joint replenishment and delivery problem with trade credit. *International Journal of Computational Intelligence Systems*, 9(6): 1001-1015. <https://doi.org/10.1080/18756891.2016.1256567>
- [10] Jin, X.G., Kim, T.W. (2003). Classification of cellular automata and complexity. *International Journal of Modern Physics B*, 17(22): 4232-4237. <https://doi.org/10.1142/S0217979203022234>
- [11] Domínguez, M., Fernández-Cardador, A., Cucala, A.P., Gonalves, T., Fernández, A. (2014). Multi objective particle swarm optimization algorithm for the design of efficient ATO speed profiles in metro lines. *Engineering Applications of Artificial Intelligence*, 29(3): 43-53. <https://doi.org/10.1016/j.engappai.2013.12.015>
- [12] Carvajal, W., Cucala, A.P., Fernández, A. (2014). Optimal design of energy-efficient ATO CBTC driving for metro lines based on NSGA-II with fuzzy parameters. *Engineering Applications of Artificial Intelligence*, 36: 164-177. <https://doi.org/10.1016/j.engappai.2014.07.019>
- [13] Kim, Y.G., Jeon, C.S., Kim, S.W., Park, T.W. (2013). Operating speed pattern optimization of railway vehicles with differential evolution algorithm. *International Journal of Automotive Technology*, 14(6): 903-911. <https://doi.org/10.1007/s12239-013-0099-7>
- [14] Fernandez-Rodriguez, A., Fernandez-Cardador, A., Cucala, A.P., Domínguez, M., Gonalves, T. (2015). Design of robust and energy-efficient ATO speed profiles of metropolitan lines considering train load variations and delays. *IEEE Transactions on Intelligent Transportation Systems*, 16(4): 2061-2071. <https://doi.org/10.1109/TITS.2015.2391831>
- [15] Sicre, C., Cucala, A.P., Fernández-Cardador, A. (2014). Real time regulation of efficient driving of high speed trains based on a genetic algorithm and a fuzzy model of manual driving. *Engineering Applications of Artificial Intelligence*, 29: 79-92. <https://doi.org/10.1016/j.engappai.2013.07.015>
- [16] Tao, Y., Han, W. (2015). Carrier airwake simulation methods based on improved multi-objective genetic algorithm. *Journal of Beijing University of Aeronautics & Astronautics*, 41(3): 443-448. <https://doi.org/10.13700/j.bh.1001-5965.2014.0198>
- [17] Huang, X., Yao, Y., Lu, Q., Huang, X., Fang, Y. (2016). Control simulation of PMSM traction system of high speed train when passing neutral section. *COMPEL International Journal of Computations and Mathematics in Electrical*, 35(2): 782-795. <https://doi.org/10.1108/COMPEL-12-2015-0445>
- [18] Chen, D., Gao, C. (2012). Soft computing methods applied to train station parking in urban rail transit. *Applied Soft Computing*, 12(2): 759-767. <https://doi.org/10.1016/j.asoc.2011.10.016>
- [19] Sun, G., Bin, S. (2018). A new opinion leaders detecting algorithm in multi-relationship online social networks. *Multimedia Tools and Applications*, 77(4): 4295-4307. <https://doi.org/10.1007/s11042-017-4766-y>
- [20] Sun, G, Bin, S. (2018). Topic interaction model based on local community detection in MOOC discussion forums and its teaching application. *Educational Sciences: Theory & Practice*, 18(6): 2922-2931. <https://doi.org/10.12738/estp.2018.6.191>
- [21] Banks, A., Vincent, J., Anyakoha, C. (2018). A review of particle swarm optimization. Part I: background and development. *Natural Computing*, 6(4): 467-484. <https://doi.org/10.1007/s11047-007-9049-5>
- [22] Li, X., Yin, M. (2015). Modified cuckoo search algorithm with self adaptive parameter method. *Information Sciences*, 298: 80-97. <https://doi.org/10.1016/j.ins.2014.11.042>