



















- problem with split demands. *Int. J. Meta heurist.*, 1(1): 55-80.  
<http://dx.doi.org/10.1504/IJMHEUR.2010.033123>
- [9] Berbotto, L., García, S., Nogales, F. (2014). A randomized granular tabu search heuristic for the split delivery vehicle routing problem. *Ann. Oper. Res.*, 222(1): 153-173. <http://dx.doi.org/10.1007/s10479-012-1282-3>
- [10] Sicilia, J.A., Quemada, C., Royo, B. (2016). An optimization algorithm for solving the rich vehicle routing problem based on variable neighborhood search and tabu search metaheuristics. *Journal of Computational & Applied Mathematics*, 291(C): 468-477. <https://doi.org/10.1016/j.cam.2015.03.050>
- [11] Glover, F. (1989). Tabu search. *ORSA Journal of Computing*, 1(3): 190-205. <http://dx.doi.org/10.1287/ijoc.1.3.190>
- [12] Toth, P., Vigo, D. (1993). The granular tabu search and its application to the vehicle routing problem. *INFORMS Journal on Computing*, 15(4): 333-346. <http://dx.doi.org/10.1287/ijoc.15.4.333.24890>
- [13] Aleman, R.E., Zhang, X.H., Hill, R.R. (2010). An adaptive memory algorithm for the split delivery vehicle routing problem. *Journal Heuristics*, 16(4): 441-473. <http://dx.doi.org/10.1007/s10732-008-9101-3>
- [14] Potvin, J.Y., Rousseau, J.M. (1995). An exchange heuristic for routing problems with time windows. *J. Oper. Res. Soc.*, 46(12): 1433-1446. <http://dx.doi.org/10.2307/2584063>
- [15] Glover, F. (1992). New ejection chain and alternating path methods for traveling salesman problems, *Computer Science and Operations Research*, 18: 491-507. <http://dx.doi.org/10.1016/B978-0-08-040806-4.50037-X>
- [16] Rego, C. (2001). Node-ejection chains for the vehicle routing problem: Sequential and parallel algorithm. *Parallel Computing*, 27: 201-222. [https://doi.org/10.1016/S0167-8191\(00\)00102-2](https://doi.org/10.1016/S0167-8191(00)00102-2)
- [17] Brandão, J. (2018). Iterated local search algorithm with ejection chains for the open vehicle routing problem with time windows. *Computers & Industrial Engineering*, 120: 146-159. <https://10.1016/j.cie.2018.04.032>
- [18] Euchi, J. (2017). The vehicle routing problem with private fleet and multiple common carriers: Solution with hybrid metaheuristic algorithm. *Vehicular Communications*, 9: 97-108. <https://10.1016/j.vehcom.2017.04.005>
- [19] Lin, S., Kernighan, B.W. (1973). An effective heuristic algorithm for the traveling-salesman problem. *Oper. Res.*, 21(2): 498-516. <http://dx.doi.org/10.1287/opre.21.2.498>
- [20] Chen, S., Golden, B., Wasil, E. (2007). The split delivery vehicle routing problem: Applications, algorithms, test problems, and computational results. *Networks*, 49(4): 318-329. <http://dx.doi.org/10.1002/net.20181>