









- [9] Zhang, G.J., Du, Y., Bai, Y.H. (2017). Fault line detection simulation single-phase to ground fault in distribution network. *Computer Simulation*, 34(2): 175-179.
- [10] Hong, Y., Tan, Y.H., Yi, H.L., Wen, Q., Jiang, S.Y. (2017). New method of single phase-to-ground fault location based on traveling wave in distribution networks. *Proceedings of the CSU-EPSCA*, 29(2): 14-20.
- [11] Yang, L.Y., Shu, Q. (2016). A new multiterminal detecting location method of single-phase grounding to the overhead-line for distribution network based on travelling-wave mutation of line-mode. *Power System Protection and Control*, 44(9): 22-28.
- [12] Wei, G., Chen, H.W., Wang, Y., Zhou, J.M., Fang, T., Huang, Y.H., Chen, S.J. (2017). A protection scheme of single-phase earth fault for distribution network with distributed generators. *Journal of Electric Power Science and Technology*, (4): 79-83.
- [13] Hu, W., Li, Y., Cao, Y.J., Zhang, Z.P., Zhao, Q.Z., Duan, Y.L. (2016). Fault identification based on LOF and SVM for smart distribution network. *Electric Power Automation Equipment*, 36(6): 7-12.
- [14] Huang, M.Y., Sun, G.Q., Wei, Z.N., Zang, H.X., Chen, T., Chen, S. (2016). Three-phase state estimation in distribution systems based on pseudo measurement modeling using spiking neural network. *Automation of Electric Power Systems*, 40(16): 38-43.
- [15] Shang, H.T, Wu, L., Zhao, Y., Lu, J.J. (2017). Reliability evaluation model of distribution network incorporating centralized feeder automation. *Electric Power Automation Equipment*, 37(5): 129-135. <http://dx.chinadoi.cn/10.16081/j.issn.1006-6047.2017.05.020>