















- energy consumption in cloud data centers using harmony search algorithm. *Int. J. Cloud Comput. Serv. Archit.*, 6(4): 1-10. <https://doi.org/10.5121/ijccsa.2016.6401>
- [21] Atrey, A., Jain, N., Iyengar, N.C.S. (2014). A study on green cloud computing. *Int. J. Grid Distrib. Comput.*, 6(6): 93-102. <https://doi.org/10.14257/ijgdc.2013.6.6.08>
- [22] Beloglazov, A., Abawajy, J., Buyya, R. (2012). Energy-aware resource allocation heuristics for efficient management of data centers for Cloud computing. *Futur. Gener. Comput. Syst.*, 28(5): 755-768. <https://doi.org/10.1016/j.future.2011.04.017>
- [23] Chen, S.L., Chen, Y.Y., Kuo, S.H. (2017). CLB: A novel load balancing architecture and algorithm for cloud services. *Comput. Electr. Eng.*, 58: 154-160. <https://doi.org/10.1016/j.compeleceng.2016.01.029>
- [24] Bryhni, H., Klovning, E., Kure, Ø. (2000). Comparison of load balancing techniques for scalable Web servers. *IEEE Netw.*, 14(4): 58-64. <https://doi.org/10.1109/65.855480>
- [25] Buyya, R. (2009). Cloud Analyst: A CloudSim-based tool for modelling and analysis of large scale cloud computing environments. *Distrib. Comput. Proj. Csse Dept., Univ. Melb.*, pp. 433-659.
- [26] Kusic, D., Kephart, J.O., Hanson, J.E., Kandasamy, N., Jiang, G. (2009). Power and performance management of virtualized computing environments via look ahead control. *Cluster Comput.*, 12(1): 1-15. <https://doi.org/10.1007/s10586-008-0070-y>
- [27] Wang, M., Meng, X., Zhang, L. (2011). Consolidating virtual machines with dynamic bandwidth demand in data centers. *Proc. - IEEE INFOCOM*, pp. 71-75. <https://doi.org/10.1109/INFOCOM.2011.5935254>
- [28] Zhou, Z., Hu, Z.G., Yu, J.Y., Abawajy, J., Chowdhury, M. (2017). Energy-efficient virtual machine consolidation algorithm in cloud data centers. *J. Cent. South Univ.*, 24(10): 2331-2341. <https://doi.org/10.1007/s11771-017-3645-z>
- [29] Li, J., Peng, J., Lei, Z., Zhang, W. (2011). An energy-efficient scheduling approach based on private clouds. *J. Inf. Comput. Sci.*, 8(4): 716-724.
- [30] Sindhu, S., Mukherjee, S. (2011). Efficient Task Scheduling Algorithms for Cloud Computing Environment. *HPAGC 2011: High Performance Architecture and Grid Computing*, Chandigarh, India, pp. 79-83. [https://doi.org/10.1007/978-3-642-22577-2\\_11](https://doi.org/10.1007/978-3-642-22577-2_11)
- [31] Weng, C., Wang, Z., Li, M., Lu, X. (2009). The hybrid scheduling framework for virtual machine systems. *Proceedings of the 2009 ACM SIGPLAN/SIGOPS international conference on Virtual execution environments*, pp. 111-120. <https://doi.org/10.1145/1508293.1508309>
- [32] Clark, C., Fraser, K., Hand, S., Hansen, J.G. (2005). Live migration of virtual machines. *NSDI'05 Proceedings of the 2nd conference on Symposium on Networked Systems Design & Implementation - Volume 2*, pp. 273-286.
- [33] Magalhães, D., Calheiros, R.N., Buyya, R., Gomes, D.G. (2015). Workload modeling for resource usage analysis and simulation in cloud computing. *Comput. Electr. Eng.*, 47: 69-81. <https://doi.org/10.1016/j.compeleceng.2015.08.016>
- [34] Xu, G., Pang, J., Fu, X. (2013). A load balancing model based on cloud partitioning for the public cloud. *Tsinghua Sci. Technol.*, 18(1): 34-39. <https://doi.org/10.1109/TST.2013.6449405>
- [35] Chaczko, Z., Mahadevan, V., Aslanzadeh, S., Mcdermid, C. (2011). Availability and load balancing in cloud computing. *International Conference on Computer and Software Modeling, IPCSIT vol.14 (2011)*, IACSIT Press, Singapore.
- [36] Goudarzi, Z. (2017). Effective load balancing in cloud computing. *Int. J. Intell. Inf. Syst.*, 3(6): 1. <https://doi.org/10.11648/j.ijis.s.2014030601.11>
- [37] Zhou, Z., Hu, Z.G., Song, T., Yu, J.Y. (2015). A novel virtual machine deployment algorithm with energy efficiency in cloud computing. *J. Cent. South Univ.*, 22(3): 974-983. <https://doi.org/10.1007/s11771-015-2608-5>
- [38] Deore, S., Patil, A.N., Bhargava, R. (2012). Energy-efficient scheduling scheme for virtual machines in cloud computing. *Int. J. Comput. Appl.*, 56(10): 19-25. <https://doi.org/10.5120/8926-2999>
- [39] Jing, S.Y., Ali, S., She, K., Zhong, Y. (2013). State-of-the-art research study for green cloud computing. *J. Supercomput.*, 65(1): 445-468. <https://doi.org/10.1007/s11227-011-0722-1>
- [40] Barth, S. (2010). Reducing data center power consumption. *KM World*, 19(7): 8-20.
- [41] Sawyer, R.L. (2011). Calculating total power requirements for data centers. *Schneider Electr. - Data Cent. Sci. Cent.*, pp. 1-10.
- [42] Faucheux, S., Nicolai, I. (2011). IT for green and green IT: A proposed typology of eco-innovation. *Ecol. Econ.*, 70(11): 2020-2027. <https://doi.org/10.1016/j.ecolecon.2011.05.019>
- [43] Joumaa, C., Kadry, S. (2011). Green IT: Case studies. *Energy Procedia*, 16: 1052-1058. <https://doi.org/10.1016/j.egypro.2012.01.168>
- [44] Aslam, S., Shah, M.A. (2016). Load balancing algorithms in cloud computing: A survey of modern techniques. *2015 Natl. Softw. Eng. Conf. (NSEC)*, Rawalpindi, Pakistan, pp. 30-35. <https://doi.org/10.1109/NSEC.2015.7396341>
- [45] White, D.J., Schmidt, D.C. (2012). Model-driven auto-scaling of green cloud computing infrastructure. *Futur. Gener. Comput. Syst.*, 28(2): 371-378. <https://doi.org/10.1016/j.future.2011.05.009>