behaviour in forest fire risk monitoring. Computers, Environment and Urban Systems, 36(1): 81-95. https://doi.org/10.1016/j.compenvurbsys.2011.06.004
[11] He, C., Zhang, S.Y., Chen, F., Sun, Y. (2013). Forest fire division by using MODIS data based on the temporal-spatial variation law. Spectroscopy and Spectral Analysis, 33(9): 2472-2477. https://doi.org/10.3964/j.issn.1000-0593(2013)09-2472-06
[12] Zhao, P., Zhao, Z., Hao, H. (2011). Study on carbon density and its dynamic change of forest types in Huanglong Mountain Forestry Region. Journal of Northwest A & F University-Natural Science Edition, 39(7): 77-96.
[13] Cox, R.M., Lemieux, G., Lodin, M. (1996). The assessment and condition of Fundy white birches in relation to ambient exposure to acid marine fogs. Canadian Journal of Forest Research, 26(4): 682-688. https://doi.org/10.1139/x26-078
[14] Naseri, M., Heidari, S., Gheibi, R., Gong, L.H., Rajii, M. A., Sadri, A. (2017). A novel quantum binary images thinning algorithm: A quantum version of the Hilditch's algorithm. Optik, 131: 678-686. https://doi.org/10.1016/j.ijleo.2016.11.124
[15] Bhavathrathan, B.K., Patil, G.R. (2018). Algorithm to compute urban road network resilience. Transportation Research Record, 2672(48): 104-115. https://doi.org/10.1177/0361198118793329
[16] Backhouse, R., Fokkinga, M. (2001). The associativity of equivalence and the Towers of Hanoi problem. Information Processing Letters, 77(2-4): 71-76. https://doi.org/10.1016/S0020-0190(00)00205-2