

improved further in terms of the following aspects. Development of demand side management (DSM) algorithms to minimize the effects of charging of electric vehicles and investigation of solar system integration with residential distribution system in presence of charging and discharging of electric vehicles.

REFERENCES

- [1] Hannan, M.A., Azidin, F.A., Mohamed, A. (2014). Hybrid electric vehicles and their challenges: A review. *Renewable Sustainable Energy Reviews*, 29: 135-150. <https://doi.org/10.1016/j.rser.2013.08.097>
- [2] Masoum, A.S., Deilami, S., Moses, P.S., Masoum, M.A.S., Abu-Siada, A. (2011). Smart load management of plug-in electric vehicles in distribution and residential networks with charging stations for peak saving and loss minimisation considering voltage regulation. *IET Generation, Transmission and Distribution*, 5: 877-888. <https://doi.org/10.1049/iet-gtd.2010.0574>
- [3] Qian, K.J., Zhou, C.K., Yuan, Y. (2015). Impacts of high penetration level of fully electric vehicles charging loads on the thermal ageing of power transformers. *International Journal of Electrical Power Energy Systems*, 65: 102-112. <https://doi.org/10.1016/j.ijepes.2014.09.040>
- [4] Leou, R.C., Su, C.L., Lu, C.N. (2014). Stochastic analyses of electric vehicle charging impacts on distribution network. *IEEE Transactions on Power Systems*, 29(3): 1055-1063. <https://doi.org/10.1109/TPWRS.2013.2291556>
- [5] Staats, P.T., Grady, W.M., Arapostathis, A., Thallam, R.S. (1998). A statistical analysis of the effect of electric vehicle battery charging on distribution system harmonic voltages. *IEEE Trans. Power Deliv.*, 13(2): 640-646. <https://doi.org/10.1109/61.660951>
- [6] Richardson, P., Flynn, D., Keane, A. (2012). Optimal charging of electric vehicles in low voltage distribution systems. *IEEE Transactions on Power Systems*, 27: 268-279. <https://doi.org/10.3390/en7042449>
- [7] Karfopoulos, E.L., Hatzargyriou, N.D. (2013). A multi-agent system for controlled charging of a large population of electric vehicles. *IEEE Transactions on Power Systems*, 28(2): 1196-1204. <https://doi.org/10.1007/s10462-016-9520-8>
- [8] Chen, N., Tan, C.W., Quek, T.Q.S. (2014). Electric vehicle charging in smart grid: Optimality and valley-filling algorithms. *IEEE Journal of Selected Topics in Signal Processing*, 8(6): 1073-1083. <https://doi.org/10.1109/JSTSP.2014.2334275>
- [9] Singh, M., Kumar, P., Kar, I. (2013). A multi charging station for electric vehicles and its utilization for load management and the grid support. *IEEE Transactions on Smart Grid*, 4(2): 1026-1037. <https://doi.org/10.1109/TSG.2013.2238562>
- [10] Gan, L., Topcu, U., Low, S.H. (2013). Optimal decentralized protocol for electric vehicle charging. *IEEE Transactions on Power Systems*, 28(2): 940-951. <https://doi.org/10.3390/en10091333>
- [11] Chan, K.W., Luo, X. (2014). Real-time scheduling of electric vehicles charging in low-voltage residential distribution systems to minimise power losses and improve voltage profile. *IET Generation Transmission and Distribution*, 8(3): 516-529. <https://doi.org/10.1049/iet-gtd.2013.0256>
- [12] Deilami, S., Masoum, A.S., Moses, P.S., Masoum, M.S. (2011). Real time coordination of plug-in electric vehicle charging in smart grids to minimize power losses and improve voltage profile. *IEEE Transactions on Smart Grid*, 2(3): 456-467. <https://doi.org/10.1109/TSG.2011.2159816>
- [13] Shaaban, M.F., Ismail, M., El-Saadany, E.F. (2014). PEVs real-time coordination in smart grid based on moving time window. *IEEE PES General Meeting Conference & Exposition*, pp. 1-5. <https://doi.org/10.1109/PESGM.2014.6939926>
- [14] Shaaban, M.F., Ismail, M., El-Saadany, E.F., Zhuang, W. (2014). Real time PEV charging/discharging coordination in smart distribution systems. *IEEE Trans. on Smart Grid*, 5(4). <https://doi.org/10.1109/TSG.2014.2311457>
- [15] Masoum, A.S., Deilami, S., Moses, P.S., Abu-Siada, A. (2010). Impacts of battery charging rates of plug-in electric vehicle on smart grid distribution systems. *IEEE PES Innovative Smart Grid Technologies Conf. Europe, ISGT Europe*, pp. 1-6. <https://doi.org/10.1109/ISGTEUROPE.2010.5638981>
- [16] Sortomme, E., Hindi, M.M., James, S.D., Mac Pherson, Venkata, S.S. (2011). Coordinated charging of plug-in hybrid electric vehicles to minimize distribution system losses. *IEEE Transactions on Smart Grid*, 2(1). <https://doi.org/10.1109/TSG.2010.2090913>
- [17] Nyns, K., Haesen, E., Driesen, J. (2010). The impact of charging plug-in hybrid electric vehicles on a residential distribution grid. *IEEE Trans. Power Syst.*, 25: 371-380. <https://doi.org/10.1109/TPWRS.2009.2036481>
- [18] Wi, Y.M., Lee, J.U., Joo, S.K. (2013). Electric vehicle charging method for smart homes/buildings with a photovoltaic system. *IEEE Transactions on Consumer Electronics*, 59(2): 323-328. <https://doi.org/10.1109/TCE.2013.6531113>