

- [30] [30] Trifi, H. (2011). Characterization and bioremediation potential of phosphate solubilizing bacteria isolated from Tunisian phosphogypsum, *Environmental Sciences*, 46(22).
- [31] Rice, D.A., Carter, O.C., May, A., Ragin, M.M., Swanton, R.G. (1990). Recovery of sulfur from phosphogypsum: conversion of calcium sulfide to sulfur. Bureau of Mines Report of Investigations, Issue RI 9297.
- [32] Rosenwald, R.H., Hamblin, R.J.J., Urban, P., Zimmerman, R.P. (1975). Sulfide oxidation: Sulfox system of pollution control. *Product R&D*, 14: 218-226. <http://dx.doi.org/10.1021/i360056a002>
- [33] Akin Altun, İ., Sert, Y. (2004). Utilization of weathered phosphogypsum as set retarder in Portland cement. *Cement and Concrete Research*, 34(4): 677-680. <http://dx.doi.org/10.1016/j.cemconres.2003.10.017>
- [34] Potgieter, J.H., Potgieter, S.S., McCrindle, R.I., Strydom, C.A. (2003). An investigation into the effect of various chemical and physical treatments of a South African phosphogypsum to render it suitable as a set retarder for cement. *Cement and Concrete Research*, 33(8): 1223-1227. [http://dx.doi.org/10.1016/S0008-8846\(03\)00036-X](http://dx.doi.org/10.1016/S0008-8846(03)00036-X)
- [35] Kacimi, L., Simon-Masseron, A., Ghomari, A., Derriche, Z. (2006). Reduction of clinkerization temperature by using phosphogypsum. *Journal of Hazardous Materials*, 137(1): 129-137. <http://dx.doi.org/10.1016/j.jhazmat.2005.12.053>
- [36] Singh, M. (2005). Role of phosphogypsum impurities on strength and microstructure of selenite plaster. *Construction and Building Materials*, 19(6): 480-486. <http://dx.doi.org/10.1016/j.conbuildmat.2004.07.010>
- [37] Tabikh, A.A., Miller, F.M. (1971). The nature of phosphogypsum impurities and their influence on cement hydration. *Cement and Concrete Research*, 1(6): 663-678. [http://dx.doi.org/10.1016/0008-8846\(71\)90020-2](http://dx.doi.org/10.1016/0008-8846(71)90020-2)
- [38] Sun, Z., Guo, C.Z., Zhou, W.B., Zhu, J.Q. (2010). Influence of phosphogypsum on physical properties and hydration process of Portland cement. *World Build Material*, 31: 4-7.
- [39] Ölmez, H., Yilmaz, V.T. (1988). Infrared study on the refinement of phosphogypsum for cements. *Cement and Concrete Research*, 18(3): 449-454. [https://doi.org/10.1016/0008-8846\(88\)90079-8](https://doi.org/10.1016/0008-8846(88)90079-8)
- [40] Nurse, R.W. (2007). The effect of phosphate on the constitution and hardening of portland cement. *Journal of Applied Chemistry*, 2(12): 708-716. <http://dx.doi.org/10.1002/jctb.5010021208>
- [41] El-Didamony, H., Ali, M.M., Awwad, N.S., Fawzy, M.M., Attallah, M.F. (2012). Treatment of phosphogypsum waste using suitable organic extractants. *Journal of Radioanalytical and Nuclear Chemistry*, 291: 907-914. <http://dx.doi.org/10.1007/s10967-011-1547-3>