

- Series 1: 375-381. <https://doi.org/10.1021/ba-1990-0225.ch006>
- [22] Singh J. (1994). *Building mycology-management of decay and health in buildings*. E & FN Spon, London [https://doi.org/10.1016/S0269-915X\(96\)80058-9](https://doi.org/10.1016/S0269-915X(96)80058-9)
- [23] Cannistraro M, Cannistraro G, Piccolo A, Restivo R. (2013). Potentials and limits of oxidative photocatalysis and possible applications in the field of cultural heritage. *Advanced Materials Research* 787: 111-117. <https://doi.org/10.4028/www.scientific.net/AMR.787.111>
- [24] Cannistraro M, Castelluccio ME, Germanò D. (2018). New sol-gel deposition technique in the smart-windows computation of possible applications od smart windows in buildings. *Journal of Building Engineering* 19: 295-301. <https://doi.org/10.1016/j.jobe.2018.05.001>
- [25] Cannistraro G, Cannistraro M, Restivo R. (2013). Messina historical buildings after the earthquake of 1908: Energy and environmental analysis through a global screening methodology. *International Journal of Heat and Technology* 31(2): 155-158. <https://doi.org/10.18280/ijht.310221>
- [26] Cannistraro M, Restivo R. (2018). monitoring of indoor microclimatic conditions od an eighteenth-century church with wireless sensors. *Advances in Modelling and Analysis* B 61(1): 28-36. https://doi.org/10.18280/ama_b.610106