

Journal of Fluid Dynamics 3(4): 278-285.
<https://doi.org/10.4236/ojfd.2013.34035>

- [26] Singh KD, Chand K, Sharma KD. (2012). Hydromagnetic oscillatory flow of a dusty fluid in a rotating porous channel. *International Journal of Mathematical Archive* 3(6): 2331-2339
- [27] Dey D. (2016). Non-Newtonian effects on hydro-magnetic dusty stratified fluid flow through a porous medium with volume fraction. *Proceedings of the National Academy of Sciences, India Section A: Physical Sciences* 86(1): 47-56. <https://doi.org/10.1007/s40010-015-0230-4>
- [28] Dey D. (2016). Dusty hydromagnetic Oldroyd fluid flow in a horizontal channel with volume fraction and energy dissipation. *International Journal of Heat and Technology* 34(3): 415-422. <https://doi.org/10.18280/ijht.340310>
- [29] Cramer KR, Pai S. (1973). *Magneto-fluid dynamics for engineers and applied physicist*. McGraw- Hill, New York.

NOMENCLATURE

v_i & v_{pi} be the velocity of fluid particles and dust particles respectively, ϵ_{ijk} be the Levi-Civita symbol, Ω_i be the angular velocity, x_i be the displacement variable, p be the pressure, τ_{ij} be the viscous stress tensor, J_i be the current density, B_i be the magnetic induction vector, N the number of dust particle per unit volume, $K = 6\pi\mu a$ ($a =$ radius of dust particle) be the Stokes constant, ϕ the volume fraction, m_p be the average mass of dust particles, ω_e the electron frequency, τ_e electron collision time, n_e the number density of electron, p_e be the electron pressure, σ be the electrical conductivity of the fluid and E_i be the electric field, μ be the dynamic viscosity, λ_1 be the ratio of relaxation time to the retardation time and λ_2 be the retardation time, z be displacement variable, u, v velocities of fluid particles of primary and secondary motion, u_p, v_p velocities of dust particles of primary and secondary motions, t time, ω frequency of oscillations, Ω dimensionless angular velocity, M magnetic parameter, Ω_0 component of angular velocity along z -axis, m Hall current parameter, G dimensionless relaxation time of dust particles, J Jeffrey parameter, R mass concentration of dust particles.