

REFERENCES

- [1] Pravakar P, Kumar DR. (2009). Infrastructure development and economic growth in India'. *Journal of the Asia Pacific Economy* 14(4): 351-365. <http://dx.doi.org/10.1080/13547860903169340>
- [2] Pradeep A. (2015). Infrastructure in India: Challenges and the way ahead, Institute of Economic Growth. University of Delhi Working paper series no. E/350/2015.
- [3] Anantha Murthy BS, Abhishek S. (2011). Mining for sustainable growth of Indian construction industry. *Proceedings of Golden Jubilee Seminar on Mining Technology for Sustainable Development–MineTech'11*, pp. 29-39.
- [4] Abhishek S, Mishra AK, Choudhary BS. (2018). Sustainable exploitation of building stone in India – emerging issues. *Current Science* 15(05): 838-844. <http://dx.doi.org/10.18520/cs/v115/i5/838-84>.
- [5] Bureau of Indian Standards (1971). Specifications for coarse and fine aggregates from natural sources for concrete. *Indian Standards (IS)*: 383-1970.
- [6] Indian Road Congress on behalf of Government of India (2013). Ministry of roads. Transport and Highways (MORTH) Specification for Road and Bridge Works 5th Revision.
- [7] Froehlich D. (2013). Protecting bridge piers with loose rock riprap. *Journal of Applied Water Engineering and Research* 1(1): 39–57. <https://doi.org/10.1080/23249676.2013.828486>
- [8] Toprak B, Sevim O, Kalkan I. (2016). Gabion walls and their use. *International Journal of Advances in Mechanical and Civil Engineering* 3(4): 56-58.
- [9] Brunton I, Thornton D, Hodson R, Sprott D. (2003). Impact of blast fragmentation on hydraulic excavator dig time. *Proceedings of the Fifth Large Open Pit Mining Conference, Kalgoorlie WA*, pp. 39-48.
- [10] Choudhary BS. (2016). Excavator selection based on muckpile shape parameters in low height benches. *Journal of Mines, Metals & Fuels* 2016, 19-22.
- [11] Rustan A. (1998). Rock blasting terms and symbols. A.A.Balkema, Rotterdam, Brookfield 58. <https://doi.org/10.1201/9781466571785>
- [12] Tosun A, Konak G, Karakus D, Onur AH, Toprak T. (2012). Investigation of relationship between blasting pile density and loader productivity. *Proceedings of 10th International Symposium on Rock Fragmentation by Blasting, Fragblast 10, New Delhi*, pp. 385-389. <https://doi.org/10.1201/b13759-48>
- [13] Doktan M. (2001). Impact of blast fragmentation on truck shovel fleet performance. *Proceedings of the 17th International Mining Congress and Exhibition of Turkey*, pp. 375-379.
- [14] Kirmanli C, Ercelebi SG. (2009). An Expert system for hydraulic excavator and truck selection in surface mining. *The Journal of the South African Institute of Mining and Metallurgy* 109: 727-738.
- [15] Piyush R, Yang, HS. (2010). Investigation of some blast design and evaluation parameters for fragmentation in limestone quarries. *Journal of Korean Society for Rock Mechanics, Tunnel & Underground Space* 20(03): 183-193.
- [16] Chaudhary BS. (2013). Firing patterns and its effect in muckpile shape parameters and fragmentation in quarry blasts. *International Journal of Research in Engineering and Technology* 02(09): 32-45. <http://dx.doi.org/10.15623/ijret.2013.0209005>
- [17] Singh SP, Doorselaere DV. (2015). The relationship between blasting parameters and muck pile configuration. *Proceedings of the 11th International Symposium on Rock Fragmentation by Blasting, Sydney, NSW* 369-374.
- [18] Piyush R, Yang HS. (2010). Blast design for controlled augmentation of muck pile throw and drop. *Journal of Korean Society for Rock Mechanics, Tunnel & Underground Space* 20(05): 360-368.